



U.S. Department  
of Transportation

**National Highway  
Traffic Safety  
Administration**

400 Seventh Street, S.W.  
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\*    \*\*\*    \*\*\*



AUTO SAFETY HOTLINE  
(800) 424-9393  
Wash. D.C. Area 366-0123



## CASE SUMMARY

PSU 75 CASE NO. 196J TYPE OF ACCIDENT Utility Vehicle/Rollover

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

See attached\*

### B. VEHICLE PROFILE(S)

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage Based on Vehicle Inspection		Component Failure
			Damage Plane	Severity Description	

DO NOT SANITIZE THIS FORM



### C. PERSON PROFILE(S)

Vehicle No.	Person Role	Seat Position	Restraint Use	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
				Body Region	Injury Type	AIS	Injury Source

#### Body Region

Abdomen  
 Ankle—foot  
 Arm (upper)  
 Back-thoracolumbar spine  
 Brain  
 Chest  
 Ears  
 Eye  
 Elbow  
 Face  
 Forearm  
 Head—skull  
 Heart  
 Kidneys  
 Knee  
 Leg (lower)  
 Liver  
 Lower limbs(s) (whole or unknown part)  
 Mouth  
 Neck—cervical spine  
 Nose

Pelvic—hip  
 Pulmonary—lungs  
 Shoulder  
 Spleen  
 Thigh  
 Thyroid, other endocrine gland  
 Upper limb(s) (whole or unknown part)  
 Vertebrae  
 Whole body  
 Wrist—hand

#### Injury Type

Abrasion  
 Amputation  
 Avulsion  
 Burn  
 Concussion  
 Contusion  
 Crush  
 Detachment, separation  
 Dislocation

Fracture  
 Fracture and dislocation  
 Laceration  
 Other  
 Perforation, puncture  
 Rupture  
 Sprain  
 Strain  
 Total severance, transection  
 Unknown

#### Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

**DO NOT SANITIZE THIS FORM**

PSU75

1996 Case Summary Form

CASE 196J

TYPE OF ACCIDENT: UTILITY VEHICLE/ROLLOVER

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

V#1 WAS NORTHBOUND ON A TWO LANE TWO-WAY MOUNTAIN ROADWAY WITH MANY "S" CURVES. V#1 WAS ON A DOWNHILL GRADE NEGOTIATING A RIGHT-HAND CURVE WHEN THE VEHICLE LOST CONTROL ON THE SNOW-PACKED ROADWAY. V#1 SPUN CLOCKWISE AFTER SEVERAL AVOIDANCE STEERING INPUTS AND TRAVELED OFF THE LEFT SIDE OF THE ROADWAY. V#1 WENT OFF THE EDGE OF THE GRAVEL SHOULDER AND TRAVELED DOWN A STEEP, DIRT EMBANKMENT. V#1 ROLLED SIDE- OVER - SIDE THREE QUARTER TURNS AND CAME TO REST ON ITS LEFT SIDE FACING SOUTH. V#1 WAS TOWED FROM THE SCENE AND THE DRIVER WAS TRANSPORTED WITH A SERIOUS SPINAL CORD INJURY.

01

PSU75

1996 Case Summary Form

CASE 196J

TYPE OF ACCIDENT: UTILITY VEHICLE/ROLLOVER

B. VEHICLE PROFILE(S)

V e h. No	Class of Vehicle	Year/Make/ Model	Most Severe Damage Based on Vehicle Inspection		
			Damage Plane	Severity Descr.	Component Failure
01	COMPACT UTILITY	1997/TOYOTA/SRS 4-RUNNER	TOP	MODERATE	NONE

01

PSU75

1996 Case Summary Form

CASE 196J

TYPE OF ACCIDENT: UTILITY VEHICLE/ROLLOVER

C. PERSON PROFILE(S)

Most Severe Injury  
(TO BE COMPLETED BY ZONE CENTER)

Vehicle No	Person Role	Seat Position	Restraint Use	Body Region	Injury Type	A	
						I S	Injury Source
01	DRIVER	LEFT FRONT	L&S	SPINAL CORD	SEVERED	5	ROOF
01	PASS.	RIGHT FRONT	L&S	HAND	LACERATION	1	FLYING GLASS



# ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number 75

Case Number—Stratum 196J

## ACCIDENT COLLISION DIAGRAM

### Document the physical plant:

- all road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, parked vehicles, poles, signs, etc.)
- all traffic controls (e.g., signs/signals, etc.)
- north arrow placed on diagram
- roadway surface type and condition of applicable roadways
- grade measurements for all applicable roadways and at location of rollover initiation
- roadway curvature (include measurement of precrash superelevation for each vehicle if applicable)

### Document vehicle dynamics including:

- reference point and reference line relative to physical features present at the scene
- scaled documentation of all accident induced physical evidence
- scaled documentation of all roadside objects contacted
- scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either:
  - a) physical evidence, or
  - b) reconstructed accident dynamics

### CRASH DATA

	VEH. #1	VEH. #2	VEH. #3
Heading Angle	233°	104°	
Surface Type	Bitumen		
Surface Condition	Icy		
Coefficient of Friction	0.06	0.06	
Grade (v/h) Measurement (between impact and final rest)	3/12 ↓	3/12 ↑	
Grade (v/h) Measurement (at location of rollover initiation)	N/A		
Grade (v/h) Measurement (at pre-crash location)	3/12 ↓	3/12 ↑	

Reference Point: Light Pole

Reference line: S. Road edge of

on S. side of E/B

E/B

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
R.P.	—	3'35 ✓
F <sub>1</sub> Rest V#1 (Fluid spill)	63'6W	1'5N ✓
F <sub>1</sub> Rest V#2 (Fluid spill)	35'5W	2'7N ✓
V#1 enter	71'0W	11'1N ✓
P.O.I.	77'8W	4'8N ✓
B RF SLID	63'6W	4'13N ✓
E RF SLID	67'7W	2'8N ✓
B RF	28'4W	10'1N ✓
B LF	25'9W	9'13N ✓
End RF	35'4W	8'1N ✓
E LF	33'0W	7'15N ✓





## ACCIDENT FORM

1. Primary Sampling Unit Number 75

2. Case Number - Stratum 1965

### IDENTIFICATION

3. Number of General Vehicle  
Forms Submitted 01

4. Date of Accident  
(Month, Day, Year) 09/06

5. Time of Accident 2115

Code reported military time of accident.

NOTE: Midnight = 2400  
Unknown = 9999

### SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. 0 SS15 Administrative Use

7. 0 SS16 Pedestrian Crash Data Study  
(Data for this special study available  
in a separate file.)

8. 0 SS17 Impact Fires

9. 1 ✓ SS18 Unsafe Driver Actions

10. 0 SS19 Run Off Road

### NUMBER OF EVENTS

11. Number of Recorded Events  
in This Accident 01

Code the number of events which occurred  
in this accident.

### ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object in the right columns.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>01</u>	13. <u>01</u>	14. <u>14</u>	15. <u>T</u>	16. <u>31</u>	17. <u>00</u>	18. <u>N</u>
19. <u>02</u>	20. <u>  </u>	21. <u>  </u>	22. <u>  </u>	23. <u>  </u>	24. <u>  </u>	25. <u>  </u>
26. <u>03</u>	27. <u>  </u>	28. <u>  </u>	29. <u>  </u>	30. <u>  </u>	31. <u>  </u>	32. <u>  </u>
33. <u>04</u>	34. <u>  </u>	35. <u>  </u>	36. <u>  </u>	37. <u>  </u>	38. <u>  </u>	39. <u>  </u>
40. <u>05</u>	41. <u>  </u>	42. <u>  </u>	43. <u>  </u>	44. <u>  </u>	45. <u>  </u>	46. <u>  </u>

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

## CODES FOR CLASS OF VEHICLE

(00) Not a motor vehicle	(31) Large pickup truck ( $\leq 4,536$ kgs GVWR)
(01) Subcompact/mini (wheelbase $< 254$ cm)	(38) Other pickup truck ( $\leq 4,536$ kgs GVWR)
(02) Compact (wheelbase $\geq 254$ but $< 265$ cm)	(39) Unknown pickup truck type ( $\leq 4,536$ kgs GVWR)
(03) Intermediate (wheelbase $\geq 265$ but $< 278$ cm)	(45) Other light truck ( $\leq 4,536$ kgs GVWR)
(04) Full size (wheelbase $\geq 278$ but $< 291$ cm)	(48) Unknown light truck type ( $\leq 4,536$ kgs GVWR)
(05) Largest (wheelbase $\geq 291$ cm)	(49) Unknown light vehicle type
(09) Unknown passenger car size	(50) School bus (excludes van based) ( $> 4,536$ kgs GVWR)
(14) Compact utility vehicle	(58) Other bus ( $> 4,536$ kgs GVWR)
(15) Large utility vehicle ( $\leq 4,536$ kgs GVWR)	(59) Unknown bus type
(16) Utility station wagon ( $\leq 4,536$ kgs GVWR)	(60) Truck ( $> 4,536$ kgs GVWR)
(19) Unknown utility type	(67) Tractor without trailer
(20) Minivan ( $\leq 4,536$ kgs GVWR)	(68) Tractor-trailer(s)
(21) Large van ( $\leq 4,536$ kgs GVWR)	(78) Unknown medium/heavy truck type
(24) Van Based school bus ( $\leq 4,536$ kgs GVWR)	(79) Unknown light/medium/heavy truck type
(28) Other van type ( $\leq 4,536$ kgs GVWR)	(80) Motored cycle
(29) Unknown van type ( $\leq 4,536$ kgs GVWR)	(90) Other vehicle
(30) Compact pickup truck ( $\leq 4,536$ kgs GVWR)	(99) Unknown

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE AND OTHER VEHICLES	(O) Not a motor vehicle	(R) Right side	(T) Top
	(N) Noncollision	(L) Left side	(U) Undercarriage
	(F) Front	(B) Back	(9) Unknown
TDC APPLICABLE VEHICLES	(O) Not a motor vehicle	(L) Left side	(C) Rear of cab
	(N) Noncollision	(B) Back of unit with cargo area (rear of trailer or straight truck)	(V) Front of cargo area
	(F) Front	(D) Back (rear of tractor)	(T) Top
	(R) Right side		(U) Undercarriage
			(9) Unknown

## CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

(01-30) — Vehicle Number		(57) Fence
Noncollision		(58) Wall
(31) Overturn — rollover (excludes end-over-end)		(59) Building
(32) Rollover — end-over-end		(60) Ditch or culvert
(33) Fire or explosion		(61) Ground
(34) Jackknife		(62) Fire hydrant
(35) Other intraunit damage (specify): _____		(63) Curb
(36) Noncollision injury		(64) Bridge
(38) Other noncollision (specify): _____		(68) Other fixed object (specify): _____
(39) Noncollision — details unknown		(69) Unknown fixed object
Collision With Fixed Object		Collision with Nonfixed Object
(41) Tree ( $\leq 10$ cm in diameter)		(70) Passenger car, light truck, van, or other vehicle not in-transport
(42) Tree ( $> 10$ cm in diameter)		(71) Medium/heavy truck or bus not in-transport
(43) Shrubbery or bush		(72) Pedestrian
(44) Embankment		(73) Cyclist or cycle
(45) Breakaway pole or post (any diameter)		(74) Other nonmotorist or conveyance
Nonbreakaway Pole or Post		(75) Vehicle occupant
(50) Pole or post ( $\leq 10$ cm in diameter)		(76) Animal
(51) Pole or post ( $> 10$ cm but $\leq 30$ cm in diameter)		(77) Train
(52) Pole or post ( $> 30$ cm in diameter)		(78) Trailer, disconnected in transport
(53) Pole or post (diameter unknown)		(79) Object fell from vehicle in-transport
(54) Concrete traffic barrier		(88) Other nonfixed object (specify): _____
(55) Impact attenuator		(89) Unknown nonfixed object
(56) Other traffic barrier (includes guardrail) (specify): _____		(98) Other event (specify): _____
		(99) Unknown event or object



**PRECRAASH ENVIRONMENTAL DATA**

19. Relation To Interchange Or Junction 0  
 (0) Non-interchange area and non-junction  
 (1) Interchange area related

*Non-Interchange junctions*

- (2) Intersection related  
 (3) Driveway, alley access related  
 (4) Other junction (specify) \_\_\_\_\_

(5) \_\_\_\_\_  
 Unknown type of junction

(9) Unknown

20. Trafficway Flow 0  
 (0) Not physically divided (two way traffic)  
 (1) Divided trafficway-median strip without positive barrier  
 (2) Divided trafficway-median strip with positive barrier  
 (3) One way traffic  
 (9) Unknown

21. Number Of Travel Lanes 2

- (1) One  
 (2) Two  
 (3) Three  
 (4) Four  
 (5) Five  
 (6) Six  
 (7) Seven or more  
 (9) Unknown

22. Roadway Alignment 2

- (1) Straight  
 (2) Curve right  
 (3) Curve left  
 (9) Unknown

23. Roadway Profile 4

- (1) Level  
 (2) Uphill grade (> 2%)  
 (3) Hill crest  
 (4) Downhill grade (> 2%)  
 (5) Sag  
 (9) Unknown

24. Roadway Surface Type 2

- (1) Concrete  
 (2) Bituminous (asphalt)  
 (3) Brick or block  
 (4) Slag, gravel, or stone  
 (5) Dirt  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

25. Roadway Surface Condition 3

- (1) Dry  
 (2) Wet  
 (3) Snow or slush  
 (4) Ice  
 (5) Sand, dirt, or oil  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

26. Light Conditions 2

- (1) Daylight  
 (2) Dark  
 (3) Dark, but lighted  
 (4) Dawn  
 (5) Dusk  
 (9) Unknown

27. Atmospheric Conditions 0

- (0) No adverse atmospheric-related driving conditions  
 (1) Rain  
 (2) Sleet/hail  
 (3) Snow  
 (4) Fog  
 (5) Rain and fog  
 (6) Sleet and fog  
 (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): \_\_\_\_\_  
 (9) Unknown

28. Traffic Control Device 0

- (0) No traffic control(s)  
 (1) Traffic control signal (not RR crossing)

*Regulatory*

- (2) Stop sign  
 (3) Yield sign  
 (4) School zone sign  
 (5) Other regulatory sign (specify): \_\_\_\_\_

- (6) Warning sign (not RR crossing)  
 (7) Unknown sign  
 (8) Miscellaneous/other controls including RR controls (specify): \_\_\_\_\_

(9) Unknown

29. Traffic Control Device Functioning 0

- (0) No traffic control device  
 (1) Traffic control device not functioning (specify): \_\_\_\_\_  
 (2) Traffic control device functioning properly  
 (9) Unknown

**OCCUPANT RELATED**

37. Driver Presence in Vehicle 1  
 (0) Driver not present  
 (1) Driver present  
 (9) Unknown
38. Number of Occupants This Vehicle 02  
 (00-96) Code actual number of occupants for this vehicle  
 (97) 97 or more  
 (99) Unknown
39. Number of Occupant Forms Submitted 02

**AIR BAG RELATED**

40. Is this an AOPS Vehicle? 1  
 (0) No (includes unknown)  
 (1) Yes - researcher determined  
 (2) VIN determined air bag system  
 (3) VIN determined automatic (passive) belts  
 (4) VIN determined air bag and automatic (passive) belts
41. Air Bag(s) Deployment, First Seat Frontal 1  
 (0) Not equipped or not available  
 (1) No air bags deployed  
*Single Air Bag Vehicle*  
 (2) Driver air bag deployed  
 (3) Driver air bag, unknown if deployed  
*Multiple Air Bag Vehicle*  
 (4) Driver side only deployed  
 (5) Passenger side only deployed  
 (6) Driver and passenger side deployed  
 (7) Driver and passenger side unknown if deployed  
 (8) Air bag(s) deployed, details unknown  
 (9) Unknown
42. Air Bag(s) Deployment, Other Than First Seat Frontal 0  
 (0) Not equipped with an "other" air bag  
 (1) Deployed during accident (as a result of impact)  
 (2) Deployed inadvertently just prior to accident  
 (3) Deployed, details unknown  
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)  
 (5) Unknown if deployed  
 (7) Nondeployed  
 (9) Unknown

Specify type of "other" air bag present: \_\_\_\_\_

**VEHICLE WEIGHT ITEMS**

43. Vehicle Curb Weight 1,810  
 \_\_\_\_\_ Code weight to nearest 10 kilograms.  
 (045) Less than 454 kilograms  
 (612) 6,124 kilograms or more  
 (999) Unknown  
3,895 lbs X .4536 = 1,812.1 kgs

Source: \_\_\_\_\_

44. Vehicle Cargo Weight 0,020  
 \_\_\_\_\_ Code weight to nearest 10 kilograms.  
 (000) Less than 5 kilograms  
 (454) 4,536 kilograms or more  
 (999) Unknown  
40 lbs X .4536 = 18.1 kgs

Source: \_\_\_\_\_

**ROLLOVER DATA**

45. Rollover 03  
 (00) No rollover (no overturning)  
*Rollover (primarily about the longitudinal axis)*  
 (01-16) Code the number of quarter turns  
 (17) Rollover, 17 or more quarter turns (specify): \_\_\_\_\_  
 (98) Rollover--end-over-end (i.e., primarily about the lateral axis)  
 (99) Rollover (overturn), details unknown
46. Rollover Initiation Type 05  
 (00) No rollover  
 (01) Trip-over  
 (02) Flip-over  
 (03) Turn-over  
 (04) Climb-over  
 (05) Fall-over  
 (06) Bounce-over  
 (07) Collision with another vehicle  
 (08) Other rollover initiation type specify): \_\_\_\_\_  
 (98) Rollover--end-over-end  
 (99) Unknown rollover initiation type
47. Location of Rollover Initiation 4  
 (0) No rollover  
 (1) On roadway  
 (2) On shoulder--paved  
 (3) On shoulder--unpaved  
 (4) On roadside or divided trafficway median  
 (8) Rollover--end-over-end  
 (9) Unknown
48. Rollover Initiation Object Contacted 31  
 (Note: Applicable codes on back of page)
49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 6  
 (0) No rollover  
 (1) Wheels/tires  
 (2) Side plane  
 (3) End plane  
 (4) Undercarriage  
 (5) Other location on vehicle (specify): \_\_\_\_\_  
 (6) Non-contact rollover forces (specify): Gravitational  
 (8) Rollover--end-over-end  
 (9) Unknown

50. Direction of Initial Roll 2+  
 (0) No rollover  
 (1) Roll right - primarily about the longitudinal axis  
 (2) Roll left - primarily about the longitudinal axis  
 (8) Rollover--end-over-end  
 (9) Unknown roll direction

## CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover  
(01-30) — Vehicle Number

### Noncollision

(31) Turn-over — fall-over  
(32) No rollover impact initiation (end-over-end)  
(34) Jackknife

### Collision With Fixed Object

(41) Tree ( $\leq$  10 cm in diameter)  
(42) Tree ( $>$  10 cm in diameter)  
(43) Shrubbery or bush  
(44) Embankment

(45) Breakaway pole or post (any diameter)

### Nonbreakaway Pole or Post

(50) Pole or post ( $\leq$  10 cm in diameter)  
(51) Pole or post ( $>$  10 cm but  $\leq$  30 cm in diameter)  
(52) Pole or post ( $>$  30 cm in diameter)  
(53) Pole or post (diameter unknown)

(54) Concrete traffic barrier  
(55) Impact attenuator  
(56) Other traffic barrier (includes guardrail)  
(specify): \_\_\_\_\_

(57) Fence  
(58) Wall  
(59) Building  
(60) Ditch or culvert  
(61) Ground  
(62) Fire hydrant  
(63) Curb  
(64) Bridge  
(68) Other fixed object (specify): \_\_\_\_\_

(69) Unknown fixed object \_\_\_\_\_

### Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport  
(71) Medium/heavy truck or bus not in-transport  
(76) Animal  
(77) Train  
(78) Trailer, disconnected in transport  
(79) Object fell from vehicle in-transport  
(88) Other nonfixed object (specify): \_\_\_\_\_

(89) Unknown nonfixed object \_\_\_\_\_

(98) Other event (specify): \_\_\_\_\_

(99) Unknown event or object \_\_\_\_\_



## EXTERIOR VEHICLE FORM

1. Primary Sampling Unit Number <u>75</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>1965</u>	

### VEHICLE IDENTIFICATION

VIN <u>JT3HN86R5V0</u>	Model Year <u>97</u>
Vehicle Make (specify): <u>Toyota</u>	Vehicle Model (specify): <u>4-Runner</u>

### LOCATOR

Locate the end of the damage with respect to the vehicle's damaged center point or bumper corner for end impacts or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L	Location of Max Crush
<u>01</u>	<u>Begin corner of Hood</u>	<u>N/A</u>	<u>LF A pillar</u>

### CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.

Specific Impact Number	Plane of Impact C-Measurements	Direct Damage		Field L	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
		Width (CDC)	Max Crush								
<u>01</u>	<u>TOP</u>	<u>402</u>	<u>61</u>	<u>N/A</u>							
			<u>49</u>								
			<u>12</u>								


# ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	<u>105.3</u>	inches	x 2.54	=	<u>267.4</u> cm
Overall Length	<u>178.7</u>	inches	x 2.54	=	<u>453.8</u> cm
Maximum Width	<u>66.5</u>	inches	x 2.54	=	<u>168.9</u> cm
Curb Weight	97 <u>3,895</u>	<sup>+100 lbs</sup> pounds	x .4536	=	<u>1,812.1</u> kg
Average Track	<u>Brand</u>	inches	x 2.54	=	_____ cm
Front Overhang	_____	inches	x 2.54	=	_____ cm
Rear Overhang	_____	inches	x 2.54	=	_____ cm
Undeformed End Width	_____	inches	x 2.54	=	_____ cm
Engine Size: cyl./displ.	_____	cc	x .001	=	_____ L
	<u>4/2.7L</u>	CID	x .0164	=	_____ L
	OR <u>3.4</u>	V-6			

## VEHICLE DAMAGE SKETCH

<b>TIRE—WHEEL DAMAGE</b> a. Rotation physically restricted b. Tire deflated  RF <u>2</u> RF <u>2</u> LF <u>2</u> LF <u>2</u> RR <u>2</u> RR <u>2</u> LR <u>2</u> LR <u>2</u>  (1) Yes (2) No (8) NA (9) Unk.		<b>ORIGINAL SPECIFICATIONS</b>  Wheelbase <u>267</u> cm Overall Length <u>454</u> cm Maximum Width <u>169</u> cm Curb Weight <u>1812</u> kg Average Track <u>NOT AVAILABLE</u> Front Overhang <u>↓</u> cm Rear Overhang <u>↓</u> cm Undeformed End Width <u>161 = F</u> cm Engine Size: cyl./displ. <u>3.4L/V-6</u> L		<b>WHEEL STEER ANGLES</b> (For locked front wheels or displaced rear axles only) RF ± <u>✓</u> ° LF ± <u>✓</u> ° RR ± <u>✓</u> ° LR ± <u>✓</u> ° Within ± 5 degrees
<b>TYPE OF TRANSMISSION</b> <input type="checkbox"/> Manual <input checked="" type="checkbox"/> Automatic END SHIFT ≥ 10 CM <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<b>DRIVE WHEELS</b> <input type="checkbox"/> FWD <input type="checkbox"/> RWD <input checked="" type="checkbox"/> 4WD  Approximate <u>tow hitch</u> Cargo Weight <u>140 lbs kg</u> <i>running Boards</i>		

## MEASUREMENTS IN CENTIMETERS



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

## CDC WORKSHEET

## CODES FOR OBJECT CONTACTED

(01-30) — Vehicle Number

## Noncollision

(31) Overturn — rollover (excludes end-over-end)

(32) Rollover—end-over-end

(33) Fire or explosion

(34) Jackknife

(35) Other intraunit damage (specify):

(36) Noncollision injury

(38) Other noncollision (specify):

(39) Noncollision — details unknown

## Collision With Fixed Object

(41) Tree ( $\leq 10$  cm in diameter)(42) Tree ( $> 10$  cm in diameter)

(43) Shrubbery or bush

(44) Embankment

(45) Breakaway pole or post (any diameter)

## Nonbreakaway Pole or Post

(50) Pole or post ( $\leq 10$  cm in diameter)(51) Pole or post ( $> 10$  cm but  $\leq 30$  cm in diameter)(52) Pole or post ( $> 30$  cm in diameter)

(53) Pole or post (diameter unknown)

(54) Concrete traffic barrier

(55) Impact attenuator

(56) Other traffic barrier (includes guardrail) (specify):

(57) Fence

(58) Wall

(59) Building

(60) Ditch or culvert

(61) Ground

(62) Fire hydrant

(63) Curb

(64) Bridge

(68) Other fixed object (specify):

(69) Unknown fixed object

## Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport

(71) Medium/heavy truck or bus not in-transport

(72) Pedestrian

(73) Cyclist or cycle

(74) Other nonmotorist or conveyance

(75) Vehicle occupant

(76) Animal

(77) Train

(78) Trailer, disconnected in transport

(79) Object fell from vehicle in-transport

(88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object

## DEFORMATION CLASSIFICATION BY EVENT NUMBER

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force (degrees)	Incremental Value of Shift	(3) Deformation Location	(4) Specific Longitudinal or Lateral Location	(5) Specific Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
01	31	000	00	T	D	D	0	04
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—

THIS LOOKS TO BE CORRECT ↑

## COLLISION DEFORMATION CLASSIFICATION

## HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>01</u>	5. <u>31</u>	6. <u>00</u>	7. <u>T</u>	8. <u>D</u>	9. <u>D</u>	10. <u>0</u>	11. <u>03</u>

## Second Highest Delta "V"

12. _____	13. _____	14. _____	15. _____	16. _____	17. _____	18. _____	19. _____
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

## CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

## HIGHEST DELTA "V"

20. <u>L</u>	21. <u>C<sub>1</sub></u>	<u>C<sub>2</sub></u>	<u>C<sub>3</sub></u>	<u>C<sub>4</sub></u>	<u>C<sub>5</sub></u>	<u>C<sub>6</sub></u>	22. <u>±D</u>
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

## Second Highest Delta "V"

23. <u>L</u>	24. <u>C<sub>1</sub></u>	<u>C<sub>2</sub></u>	<u>C<sub>3</sub></u>	<u>C<sub>4</sub></u>	<u>C<sub>5</sub></u>	<u>C<sub>6</sub></u>	25. <u>±D</u>
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

26. Undeformed End Width  
(Coded when highest severity impact is an end plane impact.) 998  
Code to the nearest centimeter  
(250) 250 centimeters or more  
(998) No highest severity end plane impact  
(999) Unknown

27. Direct Damage Width  
(For highest severity impact) 250  
Code to the nearest centimeter  
(250) 250 centimeters or more  
(999) Unknown

28. Original Wheelbase 267  
Code to the nearest centimeter  
(650) 650 centimeters or more  
(999) Unknown  
105.3 inches X 2.54 = 267.4 centimeters

29. Original Average Track Width 154  
Code to the nearest centimeter  
(185) 185 centimeters or more  
(999) Unknown  
153.5 inches X 2.54 = \_\_\_\_\_ centimeters



## FUEL SYSTEM

30. Are CDCs Documented but Not Coded on The Automated File? 0  
 (0) No  
 (1) Yes

31. Researcher's Assessment of Vehicle Disposition 1  
 (0) Not towed due to vehicle damage  
 (1) Towed due to vehicle damage  
 (9) Unknown

32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? 0  
 (0) No post manufacturer modifications  
 (1) Yes - post manufacturer modifications (specify): \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 (Include photograph of CERTIFICATION PLACARD in case report)  
 (9) Unknown if vehicle is modified

35. Location of Fuel Tank-1 Filler Cap 2  
 36. Location of Fuel Tank-2 Filler Cap 0  
 (0) No fuel tank  
 (1) On back plane  
 (2) Aft of center of the rear wheels (rear axle) on left side plane  
 (3) Aft of center of the rear wheels (rear axle) on right side plane  
 (4) Forward of center of the rear wheels (rear axle) on left side plane  
 (5) Forward of center of the rear wheels (rear axle) on right side plane  
 (6) Over the center of the rear wheels (rear axle) on left side plane  
 (7) Over the center of the rear wheels (rear axle) on right side plane  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

37. Type of Fuel Tank-1 1  
 38. Type of Fuel Tank-2 0  
 (0) No fuel tank (electrical vehicle)  
 (1) Metallic  
 (2) Non-metallic  
 (9) Unknown

## FIRE OCCURRENCE

33. Fire Occurrence 0  
 (0) No fire  
 Yes, fire occurred  
 (1) Minor  
 (2) Major  
 (9) Unknown

34. Origin of Fire 0  
 (0) No fire  
 (1) Vehicle exterior (front, side, back, top)  
 (2) Exhaust system  
 (3) Fuel tank (and other fuel retention system parts)  
 (4) Engine compartment  
 (5) Cargo/trunk compartment  
 (6) Instrument panel  
 (7) Passenger compartment area  
 (8) Other location (specify): \_\_\_\_\_  
 (9) Unknown

39. Location of Fuel Tank-1 5  
 40. Location of Fuel Tank-2 0  
 (0) No fuel tank  
 (1) Aft of center of the rear wheels (rear axle) centered  
 (2) Aft of center of the rear wheels (rear axle) left side  
 (3) Aft of center of the rear wheels (rear axle) right side  
 (4) Forward of center of the rear wheels (rear axle) centered  
 (5) Forward of center of the rear wheels (rear axle) left side  
 (6) Forward of center of the rear wheels (rear axle) right side  
 (7) Over center of the rear wheels (rear axle)  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

41. Damage to Fuel Tank-1 1  
 42. Damage to Fuel Tank-2 0  
 (0) No fuel tank  
 (1) No damage to fuel tank  
 (2) Deformed, no seam failure  
 (3) Deformed, with a seam failure  
 (4) Punctured  
 (5) Lacerated (ripped)  
 (6) Abraded (scraped)  
 (7) Filler neck separation from the fuel tank  
 (8) Other damage (specify): \_\_\_\_\_  
 (9) Unknown

[illegible]



# INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number 75  
2. Case Number - Stratum 1965  
3. Vehicle Number 01

## INTEGRITY

4. Passenger Compartment Integrity 98  
(00) No integrity loss  
  
Yes, Integrity Was Lost Through  
(01) Windshield  
(02) Door (side)  
(03) Door/hatch (back door)  
(04) Roof  
(05) Roof glass  
(06) Side window  
(07) Rear window (backlight)  
(08) Roof and roof glass  
(09) Windshield and door (side)  
(10) Windshield and roof  
(11) Side and rear window (side window and backlight)  
(12) Windshield and side window  
(13) Door and side window  
(98) Other combination of above (specify):  
roof glass, side window  
(99) Unknown

## Door, Tailgate or Hatch Opening

5. LF 3 6. RF 1 7. LR 3 8. RR 1 9. TG/H 1  
(0) No door/gate/hatch  
(1) Door/gate/hatch remained closed and operational  
(2) Door/gate/hatch came open during collision  
(3) Door/gate/hatch jammed shut  
(8) Other (specify):  
(9) Unknown

## Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code 0

10. LF 0 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0  
(0) No door/gate/hatch or door not opened  
  
Door, Tailgate or Hatch Came Open During Collision  
(1) Door operational (no damage)  
(2) Latch/striker failure due to damage  
(3) Hinge failure due to damage  
(4) Door structure failure due to damage  
(5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage  
(6) Latch/striker and hinge failure due to damage  
(8) Other failure (specify):  
(9) Unknown

## GLAZING

### Type of Window/Windshield Glazing

15. WS 1 16. LF 2 17. RF 2 18. LR 2 19. RR 2  
20. BL 2 21. Roof 3 22. Other 2  
(0) No glazing  
(1) AS-1 - Laminated  
(2) AS-2 - Tempered  
(3) AS-3 - Tempered-tinted (original)  
(4) AS-2 - Tempered-with after market tint  
(5) AS-3 - Tempered-tinted (with additional after market tint)  
(6) AS-14 - Glass/Plastic  
(7) Glazing removed prior to accident  
(8) Other (specify):  
(9) Unknown

### Window Precrash Glazing Status

23. WS 1 24. LF 2 25. RF 2 26. LR 2 27. RR 2  
28. BL 1 29. Roof 2 30. Other 1  
(0) No glazing  
(1) Fixed  
(2) Closed  
(3) Partially opened  
(4) Fully opened  
(7) Glazing removed prior to accident  
(9) Unknown

### Glazing Damage from Impact Forces


31. WS 2 32. LF 6 33. RF 1 34. LR 6 35. RR 6  
36. BL 1 37. Roof 6 38. Other 6  
(0) No glazing  
(1) No glazing damage from impact forces  
(2) Glazing in place and cracked from impact forces  
(3) Glazing in place and holed from impact forces  
(4) Glazing out-of-place (cracked or not) and not holed from impact forces  
(5) Glazing out-of-place and holed from impact forces  
(6) Glazing disintegrated from impact forces  
(7) Glazing removed prior to accident  
(9) Unknown if damaged

### Glazing Damage from Occupant Contact

39. WS 1 40. LF 1 41. RF 1 42. LR 1 43. RR 1  
44. BL 1 45. Roof 1 46. Other 1  
(0) No glazing  
(1) No occupant contact to glazing  
(2) Glazing contacted by occupant but no glazing damage  
(3) Glazing in place and cracked by occupant contact  
(4) Glazing in place and holed by occupant contact  
(5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact  
(6) Glazing out-of-place by occupant contact and holed by occupant contact  
(7) Glazing removed prior to accident  
(8) Glazing disintegrated by occupant contact  
(9) Unknown if contacted by occupant

# INTRUSION WORKSHEET

**NOTE: SKETCH INTRUDED AREAS**



LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)				DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	—	INTRUDED VALUE	= INTRUSION	
11	R. side rail	83	—	68	= 15 ②	Vert
11	A pillar	71	—	65	= 6 ①	
11	B, pillar	84	—	79	= 5 ①	
11	ROOF	88	—	61	= 27 ①	
12	↓	88	—	66	= 22 ②	
21	ROOF	85	—	69	= 16 ②	
22	↓	85	—	71	= 14 ④	
21	R. side rail	79	—	61	= 18 ③	
21	Door panel	72	—	66	= 6 ⑧	Lateral
11	Door panel	65	—	63	= 2	↓
11	Window Frame	44	—	41	= 3 ⑨	Vert
21	↓	44	—	43	= 1	↓
			—		=	
			—		=	
			—		=	

**OCCUPANT AREA INTRUSION**

Note: If no intrusions, leave variables IV47-IV86 blank.

**INTRUDING COMPONENT***Interior Components*

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify): \_\_\_\_\_

*Exterior Components*

- (30) Hood
- (31) Outside surface of this vehicle (specify): \_\_\_\_\_
- (32) Other exterior object in the environment (specify): \_\_\_\_\_
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): \_\_\_\_\_
- (99) Unknown

**LOCATION OF INTRUSION****Front Seat**

- (11) Left
- (12) Middle
- (13) Right

**Second Seat**

- (21) Left
- (22) Middle
- (23) Right

**Third Seat**

- (31) Left
- (32) Middle
- (33) Right

**Fourth Seat**

- (41) Left
- (42) Middle
- (43) Right

- (97) Catastrophic
- (98) Other enclosed area (specify) \_\_\_\_\_

- (99) Unknown

**MAGNITUDE OF INTRUSION**

- (1)  $\geq 3$  centimeters but  $< 8$  centimeters
- (2)  $\geq 8$  centimeters but  $< 15$  centimeters
- (3)  $\geq 15$  centimeters but  $< 30$  centimeters
- (4)  $\geq 30$  centimeters but  $< 46$  centimeters
- (5)  $\geq 46$  centimeters but  $< 61$  centimeters
- (6)  $\geq 61$  centimeters
- (7) Catastrophic
- (9) Unknown

**DOMINANT CRUSH DIRECTION**

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

1st 47. 11 48. 13 49. 3 50. 12nd 51. 12 52. 13 53. 3 54. 13rd 55. 21 56. 14 57. 3 58. 14th 59. 21 60. 13 61. 3 62. 15th 63. 11 64. 14 65. 3 66. 16th 67. 22 68. 13 69. 2 70. 17th 71. 11 72. 06 73. 1 74. 18th 75. 21 76. 11 77. 1 78. 39th 79. 11 80. 07 81. 1 82. 110th 83. 11 84. 17 85. 1 86. 1

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	—	DAMAGE VALUE	=	DEFORMATION
	—		=	
	—		=	
	—		=	
	—		=	

## STEERING COLUMN

## INSTRUMENT PANEL

## 87. Steering Column Type

- (1) Fixed column  
 (2) Tilt column  
 (3) Telescoping column  
 (4) Tilt and telescoping column  
 (8) Other column type (specify):

(9) Unknown

## 88. Tilt Steering Column Adjustment

- (0) No tilt steering column  
 (1) Full up  
 (2) Between full up and center  
 (3) Center  
 (4) Between center and full down  
 (5) Full down  
 (9) Unknown

## 89. Telescoping Steering Column Adjustment

- (0) No telescoping steering column  
 (1) Full back  
 (2) Between full back and midpoint  
 (3) Midpoint  
 (4) Between midpoint and full forward  
 (5) Full forward  
 (9) Unknown

## 90. Steering Rim/Spoke Deformation

- Code actual measured  
 deformation to the nearest centimeter  
 (00) No steering rim deformation  
 (01-14) Actual measured value in centimeters  
 (15) 15 centimeters or more  
 (98) Observed deformation cannot be measured  
 (99) Unknown

## 91. Location of Steering Rim/Spoke Deformation

- (00) No steering rim deformation



## Quarter Sections

- (01) Section A  
 (02) Section B  
 (03) Section C  
 (04) Section D



## Half Sections

- (05) Upper half of rim/spoke  
 (06) Lower half of rim/spoke  
 (07) Left half of rim/spoke  
 (08) Right half of rim/spoke



- (09) Complete steering wheel collapse  
 (10) Undetermined location  
 (99) Unknown

## 92. Odometer Reading

\_\_\_\_\_ kilometers

Code to the nearest 1,000 kilometers

- (000) No odometer  
 (001) Less than 1,500 kilometers  
 (500) 499,500 kilometers or more  
 (999) Unknown

002,522 miles X 1.6093 = 4,058.6 kilometers

Source: \_\_\_\_\_

## 93. Instrument Panel Damage from Occupant Contact?

- (0) No  
 (1) Yes  
 (9) Unknown

## 94. Type of Knee Bolster Covering

- (0) No knee bolster  
 (1) Padded  
 (2) Rigid plastic  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

## 95. Knee Bolsters Deformed from Occupant Contact?

- (0) No knee bolster  
 (1) No deformation  
 (2) Yes - deformation  
 (9) Unknown

## 96. Did Glove Compartment Door Open During Collision(s)?

- (0) No glove compartment door  
 (1) No - door did not open  
 (2) Yes - door opened  
 (9) Unknown



## 97. Adaptive (Assistive) Driving Equipment

- (0) No adaptive driving equipment  
 (1) Adaptive driving equipment installed (Check all that apply.)  
☐ Hand controls for braking/acceleration  
☐ Steering control devices (attached to OEM steering wheel)  
☐ Steering knob attached to steering wheel  
☐ Low effort power steering (unit or device)  
☐ Replacement steering wheel (i.e., reduced diameter)  
☐ Joy-stick steering controls  
☐ Wheelchair tie-downs  
☐ Modification to seat belts (specify): \_\_\_\_\_  
☐ Additional or relocated switches (specify): \_\_\_\_\_  
☐ Raised roof  
☐ Wall-mounted head rest (used behind wheelchair)  
☐ Other adaptive device (specify): \_\_\_\_\_

(9) Unknown

## VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.



## POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	205	01	Face	Smudge mark	2
B					
C					
D					
E					
F					
G					
H					
I					
J					
K					
L					
M					
N					

## FRONT

- (001) Windshield  
 (002) Mirror  
 (003) Sunvisor  
 (004) Steering wheel rim  
 (005) Steering wheel hub/spoke  
 (006) Steering wheel (combination of codes 004 and 005)  
 (007) Steering column, transmission selector lever, other attachment  
 (008) Cellular telephone or CB radio  
 (009) Add on equipment (e.g., tape deck, air conditioner)  
 (010) Left instrument panel and below  
 (011) Center instrument panel and below  
 (012) Right instrument panel and below  
 (013) Glove compartment door  
 (014) Knee bolster  
 (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)  
 (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)  
 (017) Windshield reinforced by exterior object, (specify):  
 (019) Other front object (specify):

## CODES FOR INTERIOR COMPONENTS

## LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests  
 (052) Left side hardware or armrest  
 (053) Left A (A1/A2)-pillar  
 (054) Left B-pillar  
 (055) Other left pillar (specify):  
 (056) Left side window glass  
 (057) Left side window frame  
 (058) Left side window sill  
 (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.  
 (060) Other left side object (specify):  
 RIGHT SIDE  
 (101) Right side interior surface, excluding hardware or armrests  
 (102) Right side hardware or armrest  
 (103) Right A (A1/A2)-pillar  
 (104) Right B-pillar  
 (105) Other right pillar (specify):  
 (106) Right side window glass  
 (107) Right side window frame  
 (108) Right side window sill  
 (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.  
 (110) Other right side object (specify):

## INTERIOR

- (151) Seat, back support  
 (152) Belt restraint webbing/buckle  
 (153) Belt restraint B-pillar or door frame attachment point  
 (154) Other restraint system component (specify):  
 (155) Head restraint system  
 (160) Other occupants (specify):  
 (161) Interior loose objects  
 (162) Child safety seat (specify):  
 (163) Other interior object (specify):  
 AIR BAG  
 (170) Air bag-driver side  
 (175) Air bag compartment cover-driver side  
 (180) Air bag-passenger side  
 (185) Air bag compartment cover-passenger side  
 (190) Other air bag (specify)  
 (195) Other air bag compartment cover (specify)

## ROOF

- (201) Front header  
 (202) Rear header  
 (203) Roof left side rail  
 (204) Roof right side rail  
 (205) Roof or convertible top

## FLOOR

- (251) Floor (including toe pan)  
 (252) Floor or console mounted transmission lever, including console  
 (253) Parking brake handle  
 (254) Foot controls including parking brake

## REAR

- (301) Backlight (rear window)  
 (302) Backlight storage rack, door, etc.  
 (303) Other rear object (specify):

## ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration  
 (402) Steering control devices (attached to OEM steering wheel)  
 (403) Steering knob attached to steering wheel  
 (405) Replacement steering wheel (i.e., reduced diameter)  
 (406) Joy stick steering controls  
 (407) Wheelchair tie-downs  
 (408) Modification to seat belts, (specify):  
 (409) Additional or relocated switches, (specify):  
 (410) Raised roof  
 (411) Wall mounted head rest (used behind wheel chair)  
 (412) Other adaptive device (specify):

## CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain  
 (2) Probable  
 (3) Possible  
 (9) Unknown

## MANUAL RESTRAINTS

**NOTES:** Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a child safety seat is present, encode the data on the back of this page 11.

If the vehicle has automatic restraints available, encode the appropriate data on page 6.

		Left	Center	Right
FIRST	A-Availability	4	X	4
	B-Evidence of usage	04		04
	C-Used in this crash?	1		04
	D-Proper Use	1		1
	E-Failure Modes	1		1
	F-Anchorage Adjustment	2		2
SECOND	A-Availability	4	3	4
	B-Evidence of usage	00	00	00
	C-Used in this crash?	00	00	00
	D-Proper Use	0	0	0
	E-Failure Modes	0	0	0
	F-Anchorage Adjustment	1	0	1
OTHER	A-Availability	X	X	X
	B-Evidence of usage			
	C-Used in this crash?			
	D-Proper Use			
	E-Failure Modes			
	F-Anchorage Adjustment			

### A-Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

#### Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): \_\_\_\_\_

- (9) Unknown

### B/C-Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): \_\_\_\_\_

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): \_\_\_\_\_
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): \_\_\_\_\_
- (99) Unknown if belt used

### D-Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

#### Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): \_\_\_\_\_
- (8) Other improper use of manual belt system (specify): \_\_\_\_\_

- (9) Unknown

### E-Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): \_\_\_\_\_
- (6) Broken retractor
- (7) Combination of above (specify): \_\_\_\_\_
- (8) Other manual belt failure (specify): \_\_\_\_\_
- (9) Unknown

### F-Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

#### Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

**AUTOMATIC RESTRAINTS**

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

**AIR BAGS**

		Frontal Air Bags--Left Front	Frontal Air Bags--Right Front	Other Air Bag
F I R S T	Availability/Function	1	1	<del></del>
	Deployment	7	7	
	Failure	1	1	

**Air Bag System Availability/Function**

(0) Not equipped/not available

(1) Air bag

*Non-functional*

(2) Air bag disconnected (specify):

(3) Air bag not reinstalled

(9) Unknown

**Air Bag System Deployment****(This Occupant Position)**

(0) Not equipped/not available

(1) Deployed during accident (as a result of impact)

(2) Deployed inadvertently just prior to accident

(3) Deployed, accident sequence undetermined

(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)

(5) Unknown if deployed

(7) Nondeployed

(9) Unknown

**Are There Indications of Air Bag****System Failure? (This Occupant Position)**

(0) Not equipped/not available

(1) No

(2) Yes (specify):

(9) Unknown

**AUTOMATIC BELTS**

		Left	Right
F I R S T	A-Availability/Function		
	B-Use		
	C-Type		
	D-Proper Use		
	E-Failure Modes		

**A-Automatic (Passive) Belt System Availability/Function**

(0) Not equipped/not available

(1) 2 point automatic belts

(2) 3 point automatic belts

(3) Automatic belts - type unknown

*Non-functional*

(4) Automatic belts destroyed or rendered inoperative

(9) Unknown

**B-Automatic (Passive) Belt System Use**

(0) Not equipped/not available/destroyed or rendered inoperative

(1) Automatic belt in use

(2) Automatic belt not in use (manually disconnected, motorized track inoperative)

(3) Automatic belt use unknown

(9) Unknown

**C-Automatic (Passive) Belt System Type**

(0) Not equipped/not available

(1) Non-motorized system

(2) Motorized system

(9) Unknown

**D-Proper Use of Automatic (Passive) Belt System**

(0) Not equipped/not available/not used

(1) Automatic belt used properly

(2) Automatic belt used properly with child safety seat

*Automatic Belt Used Improperly*

(3) Automatic shoulder belt worn under arm

(4) Automatic shoulder belt worn behind back

(5) Automatic belt worn around more than one person

(6) Lap portion of automatic belt worn on abdomen

(7) Automatic lap and shoulder belt or

automatic shoulder belt used improperly with child safety seat (specify):

(8) Other improper use of automatic belt system (specify):

(9) Unknown

**E-Automatic (Passive) Belt Failure Modes During Accident**

(0) Not equipped/not available/not in use

(1) No automatic belt failure(s)

(2) Torn webbing (stretched webbing not included)

(3) Broken buckle or latchplate

(4) Upper anchorage separated

(5) Other anchorage separated (specify):

(6) Broken retractor

(7) Combination of above (specify):

(8) Other automatic belt failure (specify):

(9) Unknown

## FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
A-Type of air bag?	1	1
B-Flaps open at tear points?	7	7
C-Flaps damaged?	7	7
D-Air bag damaged?	97	97
E-Source of air bag damage	97	97
F-Air bag tethered?	7	7
G-Air bag have vent ports?	7	7
H-Other occupant contact air bag?	7	7
I-Occupant wearing eyewear?	7	7

### A-Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

### B-Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

### C-Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

### D-Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

#### Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify):

### E-Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

### F-Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

### G-Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

### H-Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

### I-Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



## DRIVER AIR BAG SKETCHES (Cont'd)

### 3. DRIVER AIR BAG MODULE COVER FLAP SIZE (SINGLE)


width ( $W_U$ ) \_\_\_\_\_ width ( $W_L$ ) \_\_\_\_\_  
 height ( $H$ ) \_\_\_\_\_



### 4. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap                      b. Lower Flap

width ( $W_U$ ) \_\_\_\_\_ width ( $W_L$ ) \_\_\_\_\_  
 height ( $H_U$ ) \_\_\_\_\_ height ( $H_L$ ) \_\_\_\_\_




### 5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

### 6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS


*non-Deploy*

### 7. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




## PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

## 1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



*non-Deploy*

## 2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)




## PASSENGER AIR BAG SKETCHES (Cont'd)

### 3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

width (W) \_\_\_\_\_

height (H) \_\_\_\_\_



### 4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width ( $W_U$ ) \_\_\_\_\_

width ( $W_L$ ) \_\_\_\_\_

height ( $H_U$ ) \_\_\_\_\_


height ( $H_L$ ) \_\_\_\_\_



### 5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

### 6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

### 7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS





"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

*non-deploy*


2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

**"OTHER" AIR BAG SKETCHES (Cont'd)**

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG

4. SKETCH AIR BAG VENT PORTS

*non-Deploy*



**HEAD RESTRAINTS/SEAT EVALUATION**

**NOTES:** Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found on the next page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
<b>FIRST</b>	A-Head Restraint Type/Damage	3		3
	B-Seat Type	01		01
	C-Seat Orientation	1		1
	D-Seat Track Position	6		6
	E-Seat Back Incline Pre/Post Impact	23		23
	F-Seat Performance	1		1
<b>SECOND</b>	A-Head Restraint Type/Damage	3	0	3
	B-Seat Type	05	05	05
	C-Seat Orientation	1	1	1
	D-Seat Track Position	1	1	1
	E-Seat Back Incline Pre/Post Impact	01	01	01
	F-Seat Performance	1	1	1
<b>THIRD</b>	A-Head Restraint Type/Damage			
	B-Seat Type			
	C-Seat Orientation			
	D-Seat Track Position			
	E-Seat Back Incline Pre/Post Impact			
	F-Seat Performance			
<b>OTHER</b>	A-Head Restraint Type/Damage			
	B-Seat Type			
	C-Seat Orientation			
	D-Seat Track Position			
	E-Seat Back Incline Pre/Post Impact			
	F-Seat Performance			

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE  
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

## HEAD RESTRAINTS/SEAT EVALUATION

**A-Head Restraint Type/Damage by Occupant at This Occupant Position**

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other  
Specify): \_\_\_\_\_
- (9) Unknown

**B-Seat Type (this Occupant Position)**

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Box mounted seat (i.e., van type)
- (10) Other seat type (specify): \_\_\_\_\_
- (99) Unknown

**C-Seat Orientation (this Occupant Position)**

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): \_\_\_\_\_
- (9) Unknown

**D-Seat Track Adjusted Position Prior To Impact**

- (0) Occupant not seated or no seat
- (1) Non-adjustable seat track

**Adjustable Seat Track**

- (2) Seat at forward most track position
- (3) Seat between forward most and middle track positions
- (4) Seat at middle track position
- (5) Seat between middle and rear most track positions
- (6) Seat at rear most track position
- (9) Unknown

**E-Seat Back Incline Prior and Post Impact**

- (00) Occupant not seated or no seat
- (01) Not adjustable

**Upright prior to impact**

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

**Slightly reclined prior to impact**

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position




**Completely reclined prior to impact**

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

- (99) Unknown

**F-Seat Performance (this Occupant Position)**

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): \_\_\_\_\_
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): \_\_\_\_\_
- (7) Combination of above (specify): \_\_\_\_\_
- (8) Other (specify): \_\_\_\_\_
- (9) Unknown

Coding diagrams for *Seat Back Incline Position Prior and Post Impact*

DESCRIBE ANY INDICATION OF  
ABNORMAL OCCUPANT POSTURE  
(I.E., UNUSUAL OCCUPANT  
CONTACT PATTERN)

## CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

### 1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify):  
\_\_\_\_\_
- (8) Unknown child safety seat type
- (9) Unknown if child safety seat used

### 2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (08) Other orientation (specify):  
\_\_\_\_\_

- (09) Unknown orientation

Designed for Forward Facing for This Age/Weight

- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify):  
\_\_\_\_\_

- (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify):  
\_\_\_\_\_

- (29) Unknown orientation

- (99) Unknown if child safety seat used

### 3. Child Safety Seat Harness Usage

### 4. Child Safety Seat Shield Usage

### 5. Child Safety Seat Tether Usage

Note: Options Below Are Used for Variables 3-5.

- (00) No child safety seat

Not Designed with Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used

- (99) Unknown if child safety seat used

### 6. Child Safety Seat Make/Model

(Specify make/model and occupant number)

---



---



---



---

**EJECTION/ENTRAPMENT DATA**

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

**EJECTION** No [ ☒ ] Yes [ ☐ ]

Describe indications of ejection and body parts involved in partial ejection(s):

---



---



---



---



---

Occupant Number						
Ejection						
(Note on Vehicle Interior Sketch) Ejection Area						
Ejection Medium						
Medium Status						

**Ejection**

- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, Unknown degree
- (9) Unknown

**Ejection Area**

- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear

**(7) Roof**

- (8) Other area (e.g., back of pickup, etc.) (specify):

(9) Unknown

**Ejection Medium**

- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

**(5) Integral structure**

- (8) Other medium (specify):

(9) Unknown

**Medium Status (Immediately Prior to Impact)**

- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

**ENTRAPMENT** No [ ☒ ] Yes [ ☐ ]

Describe entrapment mechanism: \_\_\_\_\_

---



---



---



---

Component(s): \_\_\_\_\_

(Note on vehicle interior sketch) \_\_\_\_\_



# OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number

75

2. Case Number - Stratum

1965

3. Vehicle Number

01

4. Occupant Number

01

## OCCUPANT'S CHARACTERISTICS

5. Occupant's Age

30

Code actual age at time of accident.

(00) Less than one year old (specify by month):

(97) 97 years and older

(99) Unknown

6. Occupant's Sex

2

(1) Male

(2) Female-not reported pregnant

(3) Female-pregnant-1st trimester(1st-3rd month)

(4) Female-pregnant-2nd trimester(4th-6th month)

(5) Female-pregnant-3rd trimester(7th-9th month)

(6) Female-pregnant-term unknown

(9) Unknown

7. Occupant's Height

173

Code actual height to the nearest  
centimeter.

(999) Unknown

68 inches X 2.54 = 172.7 centimeters

8. Occupant's Weight

059

Code actual weight to the nearest  
kilogram.

(999) Unknown

130 pounds X .4536 = 58.9 kilograms

9. Occupant's Role

1

(1) Driver

(2) Passenger

(9) Unknown

## OCCUPANT'S SEATING

10. Occupant's Seat Position

11

*Front Seat*

(11) Left side

(12) Middle

(13) Right side

(14) Other (specify):

(15) On or in the lap of another occupant

*Second Seat*

(21) Left side

(22) Middle

(23) Right side

(24) Other (specify):

(25) On or in the lap of another occupant

*Third Seat*

(31) Left side

(32) Middle

(33) Right side

(34) Other (specify):

(35) On or in the lap of another occupant

*Fourth Seat*

(41) Left side

(42) Middle

(43) Right side

(44) Other (specify):

(45) On or in the lap of another occupant

(97) In or on unenclosed area

(98) Other seat (specify):

(99) Unknown

11. Occupant's Posture

0

(0) Normal posture

*Abnormal posture*

(1) Kneeling or standing on seat

(2) Lying on or across seat

(3) Kneeling, standing or sitting in front of seat

(4) Sitting sideways or turned to talk with  
another occupant or to look out a rear  
window

(5) Sitting on a console

(6) Lying back in a reclined seat position

(7) Bracing with feet or hands on a surface in  
front of seat

(8) Other abnormal posture (specify):

(9) Unknown

## EJECTION/ENTRAPMENT

12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)  
(specify): \_\_\_\_\_
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): \_\_\_\_\_
- (5) Integral structure
- (8) Other medium (specify): \_\_\_\_\_
- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 1

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.  
(specify): per medical
- (9) Unknown

17. Occupant Mobility 2

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or not oriented to time or place
- (2) Removed from vehicle due to perceived serious injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (8) Removed from vehicle for other reasons  
(specify): \_\_\_\_\_
- (9) Unknown



## BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

*Integral Belt Partially Destroyed*

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify):

(9) Unknown

19. Manual (Active) Belt System Use 04

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify):

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used—type unknown
- (08) Other belt used (specify):

- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat—type unknown
- (18) Other belt used with child safety seat (specify):
- (99) Unknown if belt used

20. Proper Use of Manual (Active) Belts 1

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

*Belt Used Improperly*

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):

(8) Other improper use of manual belt system (specify):

(9) Unknown

21. Manual (Active) Belt Failure Modes During Accident 1

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):

(6) Broken retractor

(7) Combination of above (specify):

(8) Other manual belt failure (specify):

(9) Unknown

22. Manual Shoulder Belt Upper Anchorage Adjustment 2

- (0) No manual shoulder belt
- (1) No upper anchorage adjustment for manual shoulder belt

*Adjustable shoulder Belt Upper Anchorage*

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

23. Automatic (Passive) Belt System Availability/Function 0

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

*Non-functional*

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

24. Automatic (Passive) Belt System Use 0

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):
- (3) Automatic belt use unknown
- (9) Unknown

25. Automatic (Passive) Belt System Type 0

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

26. Proper Use of Automatic (Passive) Belt System 0

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

*Automatic Belt Used Improperly*

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or

automatic shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

27. Automatic (Passive) Belt Failure Modes During Accident 0

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):

(6) Broken retractor

(7) Combination of above (specify):

(8) Other automatic belt failure (specify):

(9) Unknown

## POLICE REPORTED RESTRAINT USE

## 28. Police Reported Belt Use

- (0) None used  
 (1) Police did not indicate belt use  
 (2) Shoulder belt  
 (3) Lap belt  
 (4) Lap and shoulder belt  
 (5) Belt used, type not specified  
 (6) Child safety seat  
 (7) Automatic belt  
 (8) Other type belt, (specify):

(9) Police indicated "unknown"

## 29. Police Reported Air Bag Availability/Function

- (0) No air bag available  
 (1) Police did not indicate air bag availability/function  
 (2) Deployed  
 (3) Not deployed  
 (4) Unknown if deployed  
 (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- ☒ Vehicle inspection  
☐ Official injury data  
☐ Driver/occupant interview  
☐ Other (specify):

☐ Unknown if belt used

## AIR BAG SYSTEM FUNCTION

## 30. Frontal Air Bag System

Availability/Function  
 (This Occupant Position)

- (0) Not equipped/not available  
 (1) Air bag

*Non-functional*

- (2) Air bag disconnected (specify):

- (3) Air bag not reinstalled  
 (9) Unknown

## 31. Frontal Air Bag System Deployment

(This Occupant Position)

- (0) Not equipped/not available  
 (1) Deployed during accident (as a result of impact)  
 (2) Deployed inadvertently just prior to accident  
 (3) Deployed, details unknown  
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)  
 (5) Unknown if deployed  
 (7) Nondeployed  
 (9) Unknown

## 32. Other Than First Seat Frontal Air Bag

Availability/Function  
 (This Occupant Position)

- (0) Not equipped/not available  
 (1) Air bag

*Non-functional*

- (2) Air bag disconnected (specify):

- (3) Air bag not reinstalled  
 (9) Unknown

*Specify type of "other" air bag present:*

## 33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position)

- (0) Not equipped with an "other" air bag  
 (1) Deployed during accident (as a result of impact)  
 (2) Deployed inadvertently just prior to accident  
 (3) Deployed, details unknown  
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)  
 (5) Unknown if deployed  
 (7) Nondeployed  
 (9) Unknown

## 34. Are There Indications of Air Bag System Failure?

(This Occupant Position)

- (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify):

(9) Unknown

## FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 1

(0) Not equipped/not available

(1) No previous accidents

Yes

(2) Previous accident(s) without deployment(s)

(3) One previous accident with deployment

(4) More than one previous accident with at least one deployment

(8) Previous accidents, unknown deployment status

(9) Unknown

36. Type of Air Bag 1

(0) Not equipped/not available

(1) Original manufacturer installed system

(2) Retrofitted air bag

(3) Replacement air bag

(8) Unknown type of air bag

(9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 1

(0) Not equipped/not available

(1) No prior maintenance

(2) Yes, prior maintenance (specify): \_\_\_\_\_

(9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 97

(00) Not equipped/not available

Code the accident event sequence number that initiated the air bag deployment

(96) Deployed, unknown event

(97) Not deployed

(98) Unknown if deployed

(99) Unknown

39. CDC For Air Bag Deployment Impact 7

(0) Not equipped/not available

(1) Highest delta V

(2) Second highest delta V

(3) Other non-coded delta V (specify): \_\_\_\_\_

(6) Deployed, unknown event

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

40. Longitudinal Component of + 997

Delta V For Air Bag

Deployment Impact

(\_000) Not equipped/not available

Code the value of the delta V for the impact that initiated the air bag deployment

(\_996) Deployment, unknown longitudinal Delta V

(\_997) Not deployed

(\_998) Unknown if deployed

(\_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 7

(0) Not equipped/not available

(1) No

(2) Yes

(3) Deployed, unknown if flap(s) opened at designated tear points

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 7

(0) Not equipped/not available

(1) No

(2) Yes (specify): \_\_\_\_\_

(3) Deployed, unknown if air bag module cover flap(s) damaged

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

43. Was There Damage To The Air Bag? 97

(00) Not equipped/not available

(01) Not damaged

Yes - Air Bag Damage

(02) Ruptured

(03) Cut

(04) Torn

(05) Holed

(06) Burned

(07) Abraded

(88) Other damage (specify): \_\_\_\_\_

(95) Damaged, details unknown

(96) Deployed, unknown if damaged

(97) Not deployed

(98) Unknown if deployed

(99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM  
EVALUATION** *continued*

44. Source of Air Bag Damage 97  
 (00) Not equipped/not available  
 (01) Not damaged  
 (02) Object worn by occupant, (specify):  
 \_\_\_\_\_  
 (03) Object carried by occupant, (specify):  
 \_\_\_\_\_  
 (04) Adaptive/assistive controls, (specify):  
 \_\_\_\_\_  
 (05) Fire in vehicle  
 (06) Thermal burns  
 (07) Rescue or emergency efforts  
 (88) Other damage source (specify):  
 \_\_\_\_\_  
 (95) Damaged, unknown source  
 (96) Deployed, unknown if damaged  
 (97) Not deployed  
 (98) Unknown if deployed  
 (99) Unknown
45. Was The Air Bag Tethered? 7  
 (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify number of tether straps):  
 \_\_\_\_\_  
 (3) Deployed, unknown if tethered  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 7  
 (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify number of vent ports):  
 \_\_\_\_\_  
 (3) Deployed, unknown if vent ports present  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 7  
 (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify):  
 \_\_\_\_\_  
 (3) Deployed, unknown if other occupant contact to air bag  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 7  
 (0) Not air bag equipped/air bag not available  
 (1) No  
 (2) Eyeglasses/sunglasses  
 (3) Contact lenses  
 (4) Deployed, unknown if eyewear worn  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown

**HEAD RESTRAINT AND SEAT EVALUATION**


49. Head Restraint Type/Damage by Occupant at This Occupant Position 3  
 (0) No head restraints  
 (1) Integral—no damage  
 (2) Integral—damaged during accident  
 (3) Adjustable—no damage  
 (4) Adjustable—damaged during accident  
 (5) Add-on—no damage  
 (6) Add-on—damaged during accident  
 (8) Other (specify):  
 \_\_\_\_\_  
 (9) Unknown
50. Seat Type (this Occupant Position) 01  
 (00) Occupant not seated or no seat  
 (01) Bucket  
 (02) Bucket with folding back  
 (03) Bench  
 (04) Bench with separate back cushions  
 (05) Bench with folding back(s)  
 (06) Split bench with separate back cushions  
 (07) Split bench with folding back(s)  
 (08) Pedestal (i.e., column supported)  
 (09) Box mounted seat (i.e., van type)  
 (10) Other seat type (specify):  
 \_\_\_\_\_  
 (99) Unknown
51. Seat Orientation (this Occupant Position) 1  
 (0) Occupant not seated or no seat  
 (1) Forward facing seat  
 (2) Rear facing seat  
 (3) Side facing seat (inward)  
 (4) Side facing seat (outward)  
 (8) Other (specify):  
 \_\_\_\_\_  
 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 6  
 (0) Occupant not seated or no seat  
 (1) Non-adjustable seat track
- Adjustable Seat Track*  
 (2) Seat at forward most track position  
 (3) Seat between forward most and middle track positions  
 (4) Seat at middle track position  
 (5) Seat between middle and rear most track positions  
 (6) Seat at rear most track position  
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 23


- (00) Occupant not seated or no seat  
 (01) Not adjustable

***Upright prior to impact***


- (11) Moved to completely rearward position  
 (12) Moved to rearward midrange position  
 (13) Moved to slightly rearward position  
 (14) Retained pre-impact position  
 (15) Moved to slightly forward position  
 (16) Moved to forward midrange position  
 (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position  
 (22) Moved to rearward midrange position  
 (23) Retained pre-impact position  
 (24) Moved to upright position  
 (25) Moved to slightly forward position  
 (26) Moved to forward midrange position  
 (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position  
 (32) Moved to rearward midrange position  
 (33) Moved to slightly rearward position  
 (34) Moved to upright position  
 (35) Moved to slightly forward position  
 (36) Moved to forward midrange position  
 (37) Moved to completely forward position  
 (99) Unknown

54. Seat Performance (this Occupant Position) 1

- (0) Occupant not seated or no seat  
 (1) No seat performance failure(s)  
 (2) Seat adjusters failed  
 (3) Seat back folding locks or "seat back" failed  
     (specify): \_\_\_\_\_  
 (4) Seat track/anchors failed  
 (5) Deformed by impact of occupant  
 (6) Deformed by passenger compartment  
     intrusion, (specify): \_\_\_\_\_  
 (7) Combination of above (specify): \_\_\_\_\_  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

## CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 000

(000) No child safety seat

Applicable codes are found in your NASS CDS

Data Collection, Coding and Editing

(950) Built-in child safety seat

(997) Other make/model (specify):

(998) Unknown make/model

(999) Unknown if child safety seat used

56. Type of Child Safety Seat 0

(0) No child safety seat

(1) Infant seat

(2) Toddler seat

(3) Convertible seat

(4) Booster seat - with shield

(5) Booster seat - without shield

(7) Other type child safety seat (specify):

(8) Unknown child safety seat type

(9) Unknown if child safety seat used

57. Child Safety Seat Orientation 00

(00) No child safety seat

*Designed for Rear Facing for This Age/Weight*

(01) Rear facing

(02) Forward facing

(08) Other orientation (specify):

(09) Unknown orientation

*Designed For Forward Facing for This Age/Weight*

(11) Rear facing

(12) Forward facing

(18) Other orientation (specify):

(19) Unknown orientation

*Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight*

(21) Rear facing

(22) Forward facing

(28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0059. Child Safety Seat Shield Usage 0060. Child Safety Seat Tether Usage 00Note: Options below applicable to  
Variables OA58-OA60.

(00) No child safety seat

*Not Designed With Harness/Shield/Tether*(01) After market harness/shield/tether  
added, not used

(02) After market harness/shield/tether used

(03) Child safety seat used, but no after market  
harness/shield/tether added(09) Unknown if harness/shield/tether  
added or used*Designed With Harness/Shield/Tether*

(11) Harness/shield/tether not used

(12) Harness/shield/tether used

(19) Unknown if harness/shield/tether used

*Unknown If Designed With Harness/Shield/Tether*

(21) Harness/shield/tether not used

(22) Harness/shield/tether used

(29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

**INJURY CONSEQUENCES**

61. Injury Severity (Police Rating)

3

- (0) O - No injury  
 (1) C - Possible injury  
 (2) B - Nonincapacitating injury  
 (3) A - Incapacitating injury  
 (4) K - Killed  
 (5) U - Injury, severity unknown  
 (6) Died prior to accident  
 (9) Unknown

62. Treatment - Mortality

3

- (0) No treatment  
 (1) Fatal  
 (2) Fatal - ruled disease (specify):  
 \_\_\_\_\_

*Nonfatal*

- (3) Hospitalization  
 (4) Transported and released  
 (5) Treatment at scene - nontransported  
 (6) Treatment later  
 (7) Treatment - other (specify):  
 \_\_\_\_\_  
 (8) Transported to a medical facility-unknown if treated  
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

1

- (0) Not treated at a medical facility  
 (1) Trauma center  
 (2) Hospital  
 (3) Medical clinic  
 (4) Physician's office  
 (5) Treatment later at medical facility  
 (8) Other (specify):  
 \_\_\_\_\_  
 (9) Unknown

64. Hospital Stay

17

- (00) Not Hospitalized  
 \_\_\_\_\_ Code the number of days (up through 60) that the occupant stayed in hospital.  
 (61) 61 days or more  
 (99) Unknown

65. Working Days Lost

48

- \_\_\_\_\_ Code the number of days (up through 60) that the occupant lost from work due to the accident  
 (00) No working days lost  
 (61) 61 days or more  
 (62) Fatally injured  
 (97) Not working prior to accident  
 (99) Unknown

**EMERGENCY RESPONSE INFORMATION**

## EMS Notification

- (1) Not notified  
 (2) Notified  
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Notification Time (first unit)

(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)

(9998) EMS cancelled or did not arrive

ROAD VEHICLE

(9999) Unknown

AIR VEHICLE

EMS Departure Time To

Treatment Facility (transporting unit)

(9997) EMS arrived, provided treatment, but did not transport

ROAD VEHICLE

AIR VEHICLE

(9998) EMS arrived, but was not used

(9999) Unknown

EMS Arrival Time At Treatment Facility

(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

## EMS Type

- (01) Fire department  
 (02) Rescue squad  
 (03) Police department  
 (04) Trauma unit  
 (05) Disaster unit  
 (06) Ambulance service unit  
 (07) Hospital  
 (08) Mortuaries/funeral homes  
 (98) Other, specify: \_\_\_\_\_  
 (99) Unknown

FIRST UNIT

TRANSPORTING UNIT

ROAD VEHICLE

AIR VEHICLE

## EMS Care

- (01) No care administered  
 (02) First aid  
 (03) Resuscitation  
 (04) CPR  
 (05) Emergency cardiac care  
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)  
 (07) Emergency burn care  
 (08) Combination of above, specify: \_\_\_\_\_  
 (98) Other, specify: \_\_\_\_\_  
 (99) Unknown

ON-SCENE

DURING TRANSPORT

ROAD VEHICLE

AIR VEHICLE

**STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER**

**TO BE CODED BY THE ZONE CENTER****INJURY CONSEQUENCES**66. Time to Death 00

Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)

- (00) Not fatal  
(96) Fatal - ruled disease  
(99) Unknown

67. 1st Medically Reported Cause of Death 0068. 2nd Medically Reported Cause of Death 0069. 3rd Medically Reported Cause of Death 00

Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death

- (00) Not fatal or no additional causes  
(96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

70. Number of Recorded Injuries for This Occupant 05

Code the actual number of injuries recorded for this occupant.

- (00) No recorded injuries  
(97) Injured, details unknown  
(99) Unknown if injured

**TRAUMA DATA**71. Glasgow Coma Scale (GCS) Score (at Medical Facility) 15

- (00) Not injured  
(01) Injured - not treated at medical facility  
(02) No GCS Score at medical facility  
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.  
(97) Injured, details unknown  
(99) Unknown if injured

72. Was the Occupant Given Blood? 1

- (1) No - blood not given  
(2) Yes - blood given  
(specify units):  
(9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO<sub>3</sub> 20

- (00) Not injured  
(01) Injured, ABGs not measured or reported  
(02-50) Code the actual value of the HCO<sub>3</sub>  
(96) ABGs reported, HCO<sub>3</sub> unknown  
(97) Injured, details unknown  
(99) Unknown if injured

**BELT USE DETERMINATION**74. Primary Source of Belt Use Determination 1

- (0) Not equipped/not available/destroyed or rendered inoperative  
(1) Vehicle inspection  
(2) Official injury data  
(3) Driver/occupant interview  
(8) Other (specify):  
(9) Unknown if belt used





## OCCUPANT INJURY FORM

1. Primary Sampling Unit Number	<u>75</u>	3. Vehicle Number	<u>01</u>
2. Case Number - Stratum	<u>196J</u>	4. Occupant Number	<u>01</u>

### INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S. - 90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
1st	5. <u>2</u>	6. <u>2</u>	7. <u>9</u>	8. <u>02</u>	9. <u>02</u>	10. <u>1</u>	11. <u>7</u>	12. <u>205</u>	13. <u>2</u>	14. <u>1</u>	15. <u>01</u>
2nd	16. <u>2</u>	17. <u>6</u>	18. <u>4</u>	19. <u>02</u>	20. <u>28</u>	21. <u>5</u>	22. <u>6</u>	23. <u>205</u>	24. <u>2</u>	25. <u>1</u>	26. <u>01</u>
3rd	27. <u>2</u>	28. <u>1</u>	29. <u>4</u>	30. <u>02</u>	31. <u>00</u>	32. <u>1</u>	33. <u>2</u>	34. <u>001</u>	35. <u>2</u>	36. <u>1</u>	37. <u>97</u>
4th	38. <u>7</u>	39. <u>1</u>	40. <u>9</u>	41. <u>04</u>	42. <u>02</u>	43. <u>1</u>	44. <u>6</u>	45. <u>155</u>	46. <u>3</u>	47. <u>1</u>	48. <u>00</u>
5th	49. <u>7</u>	50. <u>8</u>	51. <u>9</u>	52. <u>04</u>	53. <u>02</u>	54. <u>1</u>	55. <u>1</u>	56. <u>004</u>	57. <u>2</u>	58. <u>1</u>	59. <u>00</u>
6th	60. <u>  </u>	61. <u>  </u>	62. <u>  </u>	63. <u>  </u>	64. <u>  </u>	65. <u>  </u>	66. <u>  </u>	67. <u>  </u>	68. <u>  </u>	69. <u>  </u>	70. <u>  </u>
7th	71. <u>  </u>	72. <u>  </u>	73. <u>  </u>	74. <u>  </u>	75. <u>  </u>	76. <u>  </u>	77. <u>  </u>	78. <u>  </u>	79. <u>  </u>	80. <u>  </u>	81. <u>  </u>
8th	82. <u>  </u>	83. <u>  </u>	84. <u>  </u>	85. <u>  </u>	86. <u>  </u>	87. <u>  </u>	88. <u>  </u>	89. <u>  </u>	90. <u>  </u>	91. <u>  </u>	92. <u>  </u>
9th	93. <u>  </u>	94. <u>  </u>	95. <u>  </u>	96. <u>  </u>	97. <u>  </u>	98. <u>  </u>	99. <u>  </u>	100. <u>  </u>	101. <u>  </u>	102. <u>  </u>	103. <u>  </u>
10th	104. <u>  </u>	105. <u>  </u>	106. <u>  </u>	107. <u>  </u>	108. <u>  </u>	109. <u>  </u>	110. <u>  </u>	111. <u>  </u>	112. <u>  </u>	113. <u>  </u>	114. <u>  </u>

# OCCUPANT INJURY DATA

Source of Injury Data	Body Region	A.I.S. - 90				Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
		Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity					
11th	---	---	---	---	---	---	-----	---	---	---
12th	---	---	---	---	---	---	-----	---	---	---
13th	---	---	---	---	---	---	-----	---	---	---
14th	---	---	---	---	---	---	-----	---	---	---
15th	---	---	---	---	---	---	-----	---	---	---
16th	---	---	---	---	---	---	-----	---	---	---
17th	---	---	---	---	---	---	-----	---	---	---
18th	---	---	---	---	---	---	-----	---	---	---
19th	---	---	---	---	---	---	-----	---	---	---
20th	---	---	---	---	---	---	-----	---	---	---
21st	---	---	---	---	---	---	-----	---	---	---
22nd	---	---	---	---	---	---	-----	---	---	---
23rd	---	---	---	---	---	---	-----	---	---	---
24th	---	---	---	---	---	---	-----	---	---	---
25th	---	---	---	---	---	---	-----	---	---	---

## OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head		Specific injuries are assigned consecutive two-digit numbers beginning with 02.	(1) Right
(2) Face			(2) Left
(3) Neck	<u>Vessels, Nerves, Organs.</u>		(3) Bilateral
(4) Thorax	<u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02.		(4) Central
(5) Abdomen		To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(5) Anterior
(6) Spine			(6) Posterior
(7) Upper Extremity			(7) Superior
(8) Lower Extremity			(8) Inferior
(9) Unspecified	The exceptions to this rule apply to:		(9) Unknown
			(0) Whole region
<b>Type of Anatomic Structure</b>	<u>Whole Area</u>		
(1) Whole Area	(02) Skin - Abrasion		
(2) Vessels	(04) Skin - Contusion		
(3) Nerves	(06) Skin - Laceration		
(4) Organs (includes Muscles/ligaments)	(08) Skin - Avulsion		
(5) Skeletal (includes joints)	(10) Amputation		
(6) Head - LOC	(20) Burn		
(9) Skin	(30) Crush		
	(40) Degloving		
	(50) Injury - NFS		
	(90) Trauma, other than mechanical		
	<u>Head - LOC</u>		
	(02) Length of LOC		
	(04) Level		
	(06) of		
	(08) Consciousness		
	(10) Concussion		
	<u>Spine</u>		
	(02) Cervical		
	(04) Thoracic		
	(06) Lumbar		
		<b>Abbreviated Injury Scale</b>	
		(1) Minor Injury	
		(2) Moderate Injury	
		(3) Serious Injury	
		(4) Severe Injury	
		(5) Critical Injury	
		(6) Maximum (untreatable)	
		(7) Injured, unknown severity	
<b>SOURCE OF INJURY DATA</b>	<b>INJURY SOURCE</b>	<b>DIRECT/INDIRECT INJURY</b>	
	<b>CONFIDENCE LEVEL</b>		
<u>OFFICIAL RECORDS</u>			
(1) Autopsy records with or without hospital/medical records	(1) Certain	(1) Direct contact injury	
(2) Hospital/medical records other than emergency room (e.g., discharge summary)	(2) Probable	(2) Indirect contact injury	
(3) Emergency room records only (including associated X-rays or other lab reports)	(3) Possible	(3) Noncontact injury	
(4) Private physician, walk-in or emergency clinic	(9) Unknown	(7) Injured, unknown source	
<u>UNOFFICIAL RECORDS</u>			
(5) Lay coroner report			
(6) E.M.S. personnel			
(7) Interviewee			
(8) Other source (specify):			
(9) Police			

## INJURY SOURCES

### FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): \_\_\_\_\_
- (019) Other front object (specify): \_\_\_\_\_

### LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): \_\_\_\_\_
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): \_\_\_\_\_

### RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): \_\_\_\_\_
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): \_\_\_\_\_

### INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): \_\_\_\_\_
- (155) Head restraint system
- (160) Other occupants (specify): \_\_\_\_\_
- (161) Interior loose objects
- (162) Child safety seat (specify): \_\_\_\_\_
- (163) Other interior object (specify): \_\_\_\_\_

### AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify) \_\_\_\_\_
- (195) Other air bag compartment cover (specify) \_\_\_\_\_

### ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top
- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

### REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): \_\_\_\_\_

### ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): \_\_\_\_\_
- (409) Additional or relocated switches, (specify): \_\_\_\_\_
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): \_\_\_\_\_

### EXTERIOR OF OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): \_\_\_\_\_
- (454) Unknown exterior objects

### EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): \_\_\_\_\_
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): \_\_\_\_\_
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): \_\_\_\_\_
- (514) Unknown exterior of other motor vehicle

### OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT


- (551) Ground
- (598) Other vehicle or object (specify): \_\_\_\_\_
- (599) Unknown vehicle or object

### NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): \_\_\_\_\_
- (604) Air bag exhaust gases
- (697) Injured, unknown source

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Restrained?

☐ No

☒ Yes

Blood Alcohol Level  
(mg/dl)

BAL = \_\_\_\_\_

Glasgow Coma  
Scale Score

GCSS = \_\_\_\_\_

Units of Blood  
Given

Units = 0

Arterial Blood Gases

pH = 7.41


PO<sub>2</sub> = 153

PCO<sub>2</sub> = 31

HCO<sub>3</sub> = 20


## OFFICIAL INJURY DATA — SKELETAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interview data are unavailable.)



## OFFICIAL INJURY DATA -- INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





# OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number	<u>75</u>
2. Case Number - Stratum	<u>1965</u>
3. Vehicle Number	<u>01</u>
4. Occupant Number	<u>02</u>

## OCCUPANT'S CHARACTERISTICS

5. Occupant's Age	<u>30</u>
Code actual age at time of accident.	
(00) Less than one year old (specify by month):	
(97) 97 years and older	
(99) Unknown	
6. Occupant's Sex	<u>1</u>
(1) Male	
(2) Female-not reported pregnant	
(3) Female-pregnant-1st trimester(1st-3rd month)	
(4) Female-pregnant-2nd trimester(4th-6th month)	
(5) Female-pregnant-3rd trimester(7th-9th month)	
(6) Female-pregnant-term unknown	
(9) Unknown	
7. Occupant's Height	<u>173</u>
Code actual height to the nearest centimeter.	
(999) Unknown	
<u>68</u> inches X 2.54 = <u>172.7</u> centimeters	
8. Occupant's Weight	<u>066</u>
Code actual weight to the nearest kilogram.	
(999) Unknown	
<u>145</u> pounds X .4536 = <u>65.7</u> kilograms	
9. Occupant's Role	<u>2</u>
(1) Driver	
(2) Passenger	
(9) Unknown	

## OCCUPANT'S SEATING

10. Occupant's Seat Position	<u>13</u>
<i>Front Seat</i>	
(11) Left side	
(12) Middle	
(13) Right side	
(14) Other (specify):	
(15) On or in the lap of another occupant	
<i>Second Seat</i>	
(21) Left side	
(22) Middle	
(23) Right side	
(24) Other (specify):	
(25) On or in the lap of another occupant	
<i>Third Seat</i>	
(31) Left side	
(32) Middle	
(33) Right side	
(34) Other (specify):	
(35) On or in the lap of another occupant	
<i>Fourth Seat</i>	
(41) Left side	
(42) Middle	
(43) Right side	
(44) Other (specify):	
(45) On or in the lap of another occupant	
(97) In or on unenclosed area	
(98) Other seat (specify):	
(99) Unknown	
11. Occupant's Posture	<u>0</u>
(0) Normal posture	
<i>Abnormal posture</i>	
(1) Kneeling or standing on seat	
(2) Lying on or across seat	
(3) Kneeling, standing or sitting in front of seat	
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window	
(5) Sitting on a console	
(6) Lying back in a reclined seat position	
(7) Bracing with feet or hands on a surface in front of seat	
(8) Other abnormal posture (specify):	
(9) Unknown	



## EJECTION/ENTRAPMENT

12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)  
(specify): \_\_\_\_\_
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): \_\_\_\_\_
- (5) Integral structure
- (8) Other medium (specify): \_\_\_\_\_
- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 0

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.  
(specify): \_\_\_\_\_
- (9) Unknown

17. Occupant Mobility 4

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or not oriented to time or place
- (2) Removed from vehicle due to perceived serious injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (8) Removed from vehicle for other reasons  
(specify): \_\_\_\_\_
- (9) Unknown

## BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

*Integral Belt Partially Destroyed*

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): \_\_\_\_\_

(9) Unknown

19. Manual (Active) Belt System Use 04

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify): \_\_\_\_\_

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used—type unknown
- (08) Other belt used (specify): \_\_\_\_\_

- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat—type unknown
- (18) Other belt used with child safety seat (specify): \_\_\_\_\_
- (99) Unknown if belt used

20. Proper Use of Manual (Active) Belts 1

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

*Belt Used Improperly*

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): \_\_\_\_\_

(8) Other improper use of manual belt system (specify): \_\_\_\_\_

(9) Unknown

21. Manual (Active) Belt Failure Modes During Accident 1

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): \_\_\_\_\_

(6) Broken retractor

(7) Combination of above (specify): \_\_\_\_\_

(8) Other manual belt failure (specify): \_\_\_\_\_

(9) Unknown

22. Manual Shoulder Belt Upper Anchorage Adjustment 2

- (0) No manual shoulder belt
- (1) No upper anchorage adjustment for manual shoulder belt

*Adjustable shoulder Belt Upper Anchorage*

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

23. Automatic (Passive) Belt System Availability/Function 0

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

*Non-functional*

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

24. Automatic (Passive) Belt System Use 0

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): \_\_\_\_\_
- (3) Automatic belt use unknown
- (9) Unknown

25. Automatic (Passive) Belt System Type 0

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

26. Proper Use of Automatic (Passive) Belt System 0

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

*Automatic Belt Used Improperly*

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or

automatic shoulder belt used improperly with child safety seat (specify): \_\_\_\_\_

(8) Other improper use of automatic belt system (specify): \_\_\_\_\_

(9) Unknown

27. Automatic (Passive) Belt Failure Modes During Accident 0

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): \_\_\_\_\_

(6) Broken retractor

(7) Combination of above (specify): \_\_\_\_\_

(8) Other automatic belt failure (specify): \_\_\_\_\_

(9) Unknown

## POLICE REPORTED RESTRAINT USE

## AIR BAG SYSTEM FUNCTION

28. Police Reported Belt Use 5

- (0) None used  
 (1) Police did not indicate belt use  
 (2) Shoulder belt  
 (3) Lap belt  
 (4) Lap and shoulder belt  
 (5) Belt used, type not specified  
 (6) Child safety seat  
 (7) Automatic belt  
 (8) Other type belt, (specify):

(9) Police indicated "unknown"

29. Police Reported Air Bag Availability/Function 1

- (0) No air bag available  
 (1) Police did not indicate air bag availability/function  
 (2) Deployed  
 (3) Not deployed  
 (4) Unknown if deployed  
 (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- [ ☒ ] Vehicle inspection  
 [ ] Official injury data  
 [ ] Driver/occupant interview  
 [ ] Other (specify):

[ ] Unknown if belt used

30. Frontal Air Bag System 1

Availability/Function  
 (This Occupant Position)

- (0) Not equipped/not available  
 (1) Air bag

*Non-functional*

- (2) Air bag disconnected (specify):

(3) Air bag not reinstalled

(9) Unknown

31. Frontal Air Bag System Deployment 7

(This Occupant Position)

- (0) Not equipped/not available  
 (1) Deployed during accident (as a result of impact)  
 (2) Deployed inadvertently just prior to accident  
 (3) Deployed, details unknown  
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)  
 (5) Unknown if deployed  
 (7) Nondeployed  
 (9) Unknown

32. Other Than First Seat Frontal Air Bag 0

Availability/Function

(This Occupant Position)

- (0) Not equipped/not available  
 (1) Air bag

*Non-functional*

- (2) Air bag disconnected (specify):

(3) Air bag not reinstalled

(9) Unknown

*Specify type of "other" air bag present:*

33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0

- (0) Not equipped with an "other" air bag  
 (1) Deployed during accident (as a result of impact)  
 (2) Deployed inadvertently just prior to accident  
 (3) Deployed, details unknown  
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)  
 (5) Unknown if deployed  
 (7) Nondeployed  
 (9) Unknown

34. Are There Indications of Air Bag System Failure? 1

(This Occupant Position)

- (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify):

(9) Unknown

## FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 1

(0) Not equipped/not available

(1) No previous accidents

Yes

(2) Previous accident(s) without deployment(s)

(3) One previous accident with deployment

(4) More than one previous accident with at least one deployment

(8) Previous accidents, unknown deployment status

(9) Unknown

36. Type of Air Bag 1

(0) Not equipped/not available

(1) Original manufacturer installed system

(2) Retrofitted air bag

(3) Replacement air bag

(8) Unknown type of air bag

(9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 1

(0) Not equipped/not available

(1) No prior maintenance

(2) Yes, prior maintenance (specify):

(9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 97

(00) Not equipped/not available

Code the accident event sequence number that initiated the air bag deployment

(96) Deployed, unknown event

(97) Not deployed

(98) Unknown if deployed

(99) Unknown

39. CDC For Air Bag Deployment Impact 7

(0) Not equipped/not available

(1) Highest delta V

(2) Second highest delta V

(3) Other non-coded delta V (specify):

(6) Deployed, unknown event

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

40. Longitudinal Component of +Delta V For Air Bag - 997

Deployment Impact

(\_000) Not equipped/not available

Code the value of the delta V for the impact that initiated the air bag deployment

(\_996) Deployment, unknown longitudinal Delta V

(\_997) Not deployed

(\_998) Unknown if deployed

(\_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 7

(0) Not equipped/not available

(1) No

(2) Yes

(3) Deployed, unknown if flap(s) opened at designated tear points

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 7

(0) Not equipped/not available

(1) No

(2) Yes (specify):

(3) Deployed, unknown if air bag module cover flap(s) damaged

(7) Not deployed

(8) Unknown if deployed

(9) Unknown

43. Was There Damage To The Air Bag? 97

(00) Not equipped/not available

(01) Not damaged

Yes - Air Bag Damage

(02) Ruptured

(03) Cut

(04) Torn

(05) Holed

(06) Burned

(07) Abraded

(88) Other damage (specify):

(95) Damaged, details unknown

(96) Deployed, unknown if damaged

(97) Not deployed

(98) Unknown if deployed

(99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM  
EVALUATION** *continued*

44. Source of Air Bag Damage 97  
 (00) Not equipped/not available  
 (01) Not damaged  
 (02) Object worn by occupant, (specify):  
 (03) Object carried by occupant, (specify):  
 (04) Adaptive/assistive controls, (specify):  
 (05) Fire in vehicle  
 (06) Thermal burns  
 (07) Rescue or emergency efforts  
 (88) Other damage source (specify):  
 (95) Damaged, unknown source  
 (96) Deployed, unknown if damaged  
 (97) Not deployed  
 (98) Unknown if deployed  
 (99) Unknown
45. Was The Air Bag Tethered? 7  
 (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify number of tether straps):  
 (3) Deployed, unknown if tethered  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 7  
 (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify number of vent ports):  
 (3) Deployed, unknown if vent ports present  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 7  
 (0) Not equipped/not available  
 (1) No  
 (2) Yes (specify):  
 (3) Deployed, unknown if other occupant contact to air bag  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 7  
 (0) Not air bag equipped/air bag not available  
 (1) No  
 (2) Eyeglasses/sunglasses  
 (3) Contact lenses  
 (4) Deployed, unknown if eyewear worn  
 (7) Not deployed  
 (8) Unknown if deployed  
 (9) Unknown

**HEAD RESTRAINT AND SEAT EVALUATION**


49. Head Restraint Type/Damage by Occupant at This Occupant Position 3  
 (0) No head restraints  
 (1) Integral—no damage  
 (2) Integral—damaged during accident  
 (3) Adjustable—no damage  
 (4) Adjustable—damaged during accident  
 (5) Add-on—no damage  
 (6) Add-on—damaged during accident  
 (8) Other (specify):  
 (9) Unknown
50. Seat Type (this Occupant Position) 01  
 (00) Occupant not seated or no seat  
 (01) Bucket  
 (02) Bucket with folding back  
 (03) Bench  
 (04) Bench with separate back cushions  
 (05) Bench with folding back(s)  
 (06) Split bench with separate back cushions  
 (07) Split bench with folding back(s)  
 (08) Pedestal (i.e., column supported)  
 (09) Box mounted seat (i.e., van type)  
 (10) Other seat type (specify):  
 (99) Unknown
51. Seat Orientation (this Occupant Position) 1  
 (0) Occupant not seated or no seat  
 (1) Forward facing seat  
 (2) Rear facing seat  
 (3) Side facing seat (inward)  
 (4) Side facing seat (outward)  
 (8) Other (specify):  
 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 6  
 (0) Occupant not seated or no seat  
 (1) Non-adjustable seat track
- Adjustable Seat Track*  
 (2) Seat at forward most track position  
 (3) Seat between forward most and middle track positions  
 (4) Seat at middle track position  
 (5) Seat between middle and rear most track positions  
 (6) Seat at rear most track position  
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 23


- (00) Occupant not seated or no seat  
 (01) Not adjustable

***Upright prior to impact***


- (11) Moved to completely rearward position  
 (12) Moved to rearward midrange position  
 (13) Moved to slightly rearward position  
 (14) Retained pre-impact position  
 (15) Moved to slightly forward position  
 (16) Moved to forward midrange position  
 (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position  
 (22) Moved to rearward midrange position  
 (23) Retained pre-impact position  
 (24) Moved to upright position  
 (25) Moved to slightly forward position  
 (26) Moved to forward midrange position  
 (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position  
 (32) Moved to rearward midrange position  
 (33) Moved to slightly rearward position  
 (34) Moved to upright position  
 (35) Moved to slightly forward position  
 (36) Moved to forward midrange position  
 (37) Moved to completely forward position



(99) Unknown

54. Seat Performance (this Occupant Position) 1

- (0) Occupant not seated or no seat  
 (1) No seat performance failure(s)  
 (2) Seat adjusters failed  
 (3) Seat back folding locks or "seat back" failed  
     (specify): \_\_\_\_\_  
 (4) Seat track/anchors failed  
 (5) Deformed by impact of occupant  
 (6) Deformed by passenger compartment  
     intrusion, (specify): \_\_\_\_\_  
 (7) Combination of above (specify): \_\_\_\_\_  
 (8) Other (specify): \_\_\_\_\_  
 (9) Unknown

## CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 000  
 (000) No child safety seat  
 Applicable codes are found in your NASS CDS  
 Data Collection, Coding and Editing  
 (950) Built-in child safety seat  
 (997) Other make/model (specify):

(998) Unknown make/model  
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0  
 (0) No child safety seat  
 (1) Infant seat  
 (2) Toddler seat  
 (3) Convertible seat  
 (4) Booster seat - with shield  
 (5) Booster seat - without shield  
 (7) Other type child safety seat (specify):  
 (8) Unknown child safety seat type  
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 00  
 (00) No child safety seat

*Designed for Rear Facing for This Age/Weight*

(01) Rear facing  
 (02) Forward facing  
 (08) Other orientation (specify):

(09) Unknown orientation

*Designed For Forward Facing for This Age/Weight*

(11) Rear facing  
 (12) Forward facing  
 (18) Other orientation (specify):

(19) Unknown orientation

*Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight*

(21) Rear facing  
 (22) Forward facing  
 (28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 00

59. Child Safety Seat Shield Usage 00

60. Child Safety Seat Tether Usage 00

Note: Options below applicable to  
 Variables OA58-OA60.

(00) No child safety seat

*Not Designed With Harness/Shield/Tether*

(01) After market harness/shield/tether  
 added, not used  
 (02) After market harness/shield/tether used  
 (03) Child safety seat used, but no after market  
 harness/shield/tether added  
 (09) Unknown if harness/shield/tether  
 added or used

*Designed With Harness/Shield/Tether*

(11) Harness/shield/tether not used  
 (12) Harness/shield/tether used  
 (19) Unknown if harness/shield/tether used

*Unknown If Designed With Harness/Shield/Tether*

(21) Harness/shield/tether not used  
 (22) Harness/shield/tether used  
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

**INJURY CONSEQUENCES**61. Injury Severity (Police Rating) 0

- (0) O - No injury  
 (1) C - Possible injury  
 (2) B - Nonincapacitating injury  
 (3) A - Incapacitating injury  
 (4) K - Killed  
 (5) U - Injury, severity unknown  
 (6) Died prior to accident  
 (9) Unknown

62. Treatment - Mortality 0

- (0) No treatment  
 (1) Fatal  
 (2) Fatal - ruled disease (specify):  
 \_\_\_\_\_

*Nonfatal*

- (3) Hospitalization  
 (4) Transported and released  
 (5) Treatment at scene - nontransported  
 (6) Treatment later  
 (7) Treatment - other (specify):  
 \_\_\_\_\_  
 (8) Transported to a medical facility-unknown if treated  
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 0

- (0) Not treated at a medical facility  
 (1) Trauma center  
 (2) Hospital  
 (3) Medical clinic  
 (4) Physician's office  
 (5) Treatment later at medical facility  
 (8) Other (specify):  
 \_\_\_\_\_  
 (9) Unknown

64. Hospital Stay 00

- (00) Not Hospitalized  
 \_\_\_\_\_ Code the number of days (up through 60) that the occupant stayed in hospital.  
 (61) 61 days or more  
 (99) Unknown

65. Working Days Lost 00

- \_\_\_\_\_ Code the number of days (up through 60) that the occupant lost from work due to the accident  
 (00) No working days lost  
 (61) 61 days or more  
 (62) Fatally injured  
 (97) Not working prior to accident  
 (99) Unknown

**EMERGENCY RESPONSE INFORMATION**

## EMS Notification

- (1) Not notified  
 (2) Notified  
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

## EMS NotificationTime (first unit)

(9999) Unknown

\_\_\_\_\_ ROAD VEHICLE \_\_\_\_\_

\_\_\_\_\_ AIR VEHICLE \_\_\_\_\_

## EMS Arrival Time (first unit)

(9998) EMS cancelled or did not arrive

\_\_\_\_\_ ROAD VEHICLE \_\_\_\_\_

(9999) Unknown

\_\_\_\_\_ AIR VEHICLE \_\_\_\_\_

## EMS Departure Time To

Treatment Facility (transporting unit)

(9997) EMS arrived, provided treatment, but did not transport

\_\_\_\_\_ ROAD VEHICLE \_\_\_\_\_

\_\_\_\_\_ AIR VEHICLE \_\_\_\_\_

(9998) EMS arrived, but was not used

(9999) Unknown

## EMS Arrival Time At Treatment Facility

(9999) Unknown

\_\_\_\_\_ ROAD VEHICLE \_\_\_\_\_

\_\_\_\_\_ AIR VEHICLE \_\_\_\_\_

## EMS Type

- (01) Fire department  
 (02) Rescue squad  
 (03) Police department  
 (04) Trauma unit  
 (05) Disaster unit  
 (06) Ambulance service unit  
 (07) Hospital  
 (08) Mortuaries/funeral homes  
 (98) Other, specify: \_\_\_\_\_  
 (99) Unknown

FIRST UNIT

TRANSPORTING UNIT

\_\_\_\_\_ ROAD VEHICLE \_\_\_\_\_

\_\_\_\_\_ AIR VEHICLE \_\_\_\_\_

## EMS Care

- (01) No care administered  
 (02) First aid  
 (03) Resuscitation  
 (04) CPR  
 (05) Emergency cardiac care  
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)  
 (07) Emergency burn care  
 (08) Combination of above, specify: \_\_\_\_\_  
 (98) Other, specify: \_\_\_\_\_  
 (99) Unknown

ON-SCENE

DURING TRANSPORT

\_\_\_\_\_ ROAD VEHICLE \_\_\_\_\_

\_\_\_\_\_ AIR VEHICLE \_\_\_\_\_

**STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER**



**TO BE CODED BY THE ZONE CENTER****INJURY CONSEQUENCES****TRAUMA DATA**66. Time to Death 00

Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)

- (00) Not fatal  
(96) Fatal - ruled disease  
(99) Unknown

67. 1st Medically Reported Cause of Death 0068. 2nd Medically Reported Cause of Death 0069. 3rd Medically Reported Cause of Death 00

Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death

- (00) Not fatal or no additional causes  
(96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

70. Number of Recorded Injuries for This Occupant 01

Code the actual number of injuries recorded for this occupant.

- (00) No recorded injuries  
(97) Injured, details unknown  
(99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score (at Medical Facility) 01

- (00) Not injured  
(01) Injured - not treated at medical facility  
(02) No GCS Score at medical facility  
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.  
(97) Injured, details unknown  
(99) Unknown if injured

72. Was the Occupant Given Blood? 1

- (1) No - blood not given  
(2) Yes - blood given  
(specify units):  
(9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO<sub>3</sub> 01

- (00) Not injured  
(01) Injured, ABGs not measured or reported  
(02-50) Code the actual value of the HCO<sub>3</sub>  
(96) ABGs reported, HCO<sub>3</sub> unknown  
(97) Injured, details unknown  
(99) Unknown if injured

**BELT USE DETERMINATION**74. Primary Source of Belt Use Determination 1

- (0) Not equipped/not available/destroyed or rendered inoperative  
(1) Vehicle inspection  
(2) Official injury data  
(3) Driver/occupant interview  
(8) Other (specify):  
(9) Unknown if belt used



U.S. Department of Transportation  
National Highway Traffic Safety  
Administration

## OCCUPANT INJURY FORM

Form Approved  
O.M.B. No. 2127-0021  
NATIONAL ACCIDENT SAMPLING SYSTEM  
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

75

3. Vehicle Number

01

2. Case Number - Stratum

196J

4. Occupant Number

02

### INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
1st	5. <u>7</u>	6. <u>7</u>	7. <u>9</u>	8. <u>06</u>	9. <u>02</u>	10. <u>1</u>	11. <u>1</u>	12. <u>602</u>	13. <u>3</u>	14. <u>3</u>	15. <u>00</u>
2nd	16. ____	17. ____	18. ____	19. ____	20. ____	21. ____	22. ____	23. ____	24. ____	25. ____	26. ____
3rd	27. ____	28. ____	29. ____	30. ____	31. ____	32. ____	33. ____	34. ____	35. ____	36. ____	37. ____
4th	38. ____	39. ____	40. ____	41. ____	42. ____	43. ____	44. ____	45. ____	46. ____	47. ____	48. ____
5th	49. ____	50. ____	51. ____	52. ____	53. ____	54. ____	55. ____	56. ____	57. ____	58. ____	59. ____
6th	60. ____	61. ____	62. ____	63. ____	64. ____	65. ____	66. ____	67. ____	68. ____	69. ____	70. ____
7th	71. ____	72. ____	73. ____	74. ____	75. ____	76. ____	77. ____	78. ____	79. ____	80. ____	81. ____
8th	82. ____	83. ____	84. ____	85. ____	86. ____	87. ____	88. ____	89. ____	90. ____	91. ____	92. ____
9th	93. ____	94. ____	95. ____	96. ____	97. ____	98. ____	99. ____	100. ____	101. ____	102. ____	103. ____
10th	104. ____	105. ____	106. ____	107. ____	108. ____	109. ____	110. ____	111. ____	112. ____	113. ____	114. ____

### OCCUPANT INJURY DATA

[illegible]

## OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head		Specific injuries are assigned consecutive	(1) Right
(2) Face		two-digit numbers beginning with 02.	(2) Left
(3) Neck	<u>Vessels, Nerves, Organs,</u>		(3) Bilateral
(4) Thorax	<u>Bones, Joints</u> are assigned		(4) Central
(5) Abdomen	consecutive two digit		(5) Anterior
(6) Spine	numbers beginning with	To the extent possible,	(6) Posterior
(7) Upper Extremity	02.	within the organizational	(7) Superior
(8) Lower Extremity		framework of the AIS, 00	(8) Inferior
(9) Unspecified	The exceptions to this rule	is assigned to an injury	(9) Unknown
	apply to:	NFS as to severity or	(0) Whole region
		where only one injury is	
		given in the dictionary for	
		that anatomic structure.	
		99 is assigned to any	
		injury NFS as to lesion or	
		severity.	
<b>Type of Anatomic Structure</b>	<u>Whole Area</u>	<b>Abbreviated Injury Scale</b>	
(1) Whole Area	(02) Skin - Abrasion	(1) Minor Injury	
(2) Vessels	(04) Skin - Contusion	(2) Moderate Injury	
(3) Nerves	(06) Skin - Laceration	(3) Serious Injury	
(4) Organs (includes	(08) Skin - Avulsion	(4) Severe Injury	
Muscles/ligaments)	(10) Amputation	(5) Critical Injury	
(5) Skeletal (includes	(20) Burn	(6) Maximum	
joints)	(30) Crush	(untreatable)	
(6) Head - LOC	(40) Degloving	(7) Injured, unknown	
(9) Skin	(50) Injury - NFS	severity	
	(90) Trauma, other than		
	mechanical		
	<u>Head - LOC</u>		
	(02) Length of LOC		
	(04) Level		
	(06) of		
	(08) Consciousness		
	(10) Concussion		
	<u>Spine</u>		
	(02) Cervical		
	(04) Thoracic		
	(06) Lumbar		

## SOURCE OF INJURY DATA

## INJURY SOURCE

## DIRECT/INDIRECT INJURY

## CONFIDENCE LEVEL

OFFICIAL RECORDS

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

UNOFFICIAL RECORDS

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify): \_\_\_\_\_
- (9) Police

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

## INJURY SOURCES

### FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): \_\_\_\_\_
- (019) Other front object (specify): \_\_\_\_\_

### LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): \_\_\_\_\_
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): \_\_\_\_\_

### RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): \_\_\_\_\_
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): \_\_\_\_\_

### INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): \_\_\_\_\_
- (155) Head restraint system
- (160) Other occupants (specify): \_\_\_\_\_
- (161) Interior loose objects
- (162) Child safety seat (specify): \_\_\_\_\_
- (163) Other interior object (specify): \_\_\_\_\_

### AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify) \_\_\_\_\_
- (195) Other air bag compartment cover (specify) \_\_\_\_\_

### ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

### FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

### REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): \_\_\_\_\_

### ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): \_\_\_\_\_
- (409) Additional or relocated switches, (specify): \_\_\_\_\_
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): \_\_\_\_\_

### EXTERIOR OF OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): \_\_\_\_\_
- (454) Unknown exterior objects

### EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): \_\_\_\_\_
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): \_\_\_\_\_
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): \_\_\_\_\_
- (514) Unknown exterior of other motor vehicle

### OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT


- (551) Ground
- (598) Other vehicle or object (specify): \_\_\_\_\_
- (599) Unknown vehicle or object

### NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): \_\_\_\_\_
- (604) Air bag exhaust gases
- (697) Injured, unknown source

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Restrained?

\_\_\_ No

\_\_\_ Yes

Blood Alcohol Level  
(mg/dl)

BAL = \_\_\_

Glasgow Coma  
Scale Score

GCSS = \_\_\_

Units of Blood  
Given

Units = \_\_\_

Arterial Blood Gases

pH = \_\_\_


PO<sub>2</sub> = \_\_\_

PCO<sub>2</sub> = \_\_\_

HCO<sub>3</sub> = \_\_\_



## OFFICIAL INJURY DATA — SKELETAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



## OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)






[illegible]

PSU75  
CASE 196J  
CURRENT VERSION: 9.04

## ERROR SUMMARY SCREEN

/97

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	0	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	0	Y
Occupant Assessment	0	0	0	Y
Occupant Injury	0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	0	



**NATIONAL ACCIDENT SAMPLING SYSTEM  
CRASHWORTHINESS DATA SYSTEM**

Case Number—Stratum 196 J

HS Form 434B (1/96)

[illegible]



PSU 75-196J (1996) #1



PSU 75-196J (1996) #2



**PSU 75-196J (1996) #3**



PSU 75-196J (1996) #4





**PSU 75-196J (1996) #5**



PSU 75-198J (1998) #6



PSU 75-196J (1996) #7



PSU 75-196J (1996) #8



PSU 75-196J (1996) #9



PSU 75-196J (1986) #10



PSU 75-196J (1996) #11



PSU 75-196J (1996) #12





PSU 75-196J (1996) #13



PSU 75-196J (1996) #14



PSU 75-196J (1998) #15



PSU 76-196J (1996) #16



PSU 75-196J (1996) #17



PSU 75-196J (1996) #18



PSU 75-196J (1996) #19



PSU 75-198J (1998) #20





PSU 75-196J (1996) #21



**PSU 75-196J (1996) #22**



**PSU 75-196J (1996) #23**



PSU 75-196J (1996) #24



PSU 75-196J (1998) #25



**PSU 75-196J (1998) #26**



**PSU 75-196J (1996) #27**



PSU 75-196J (1996) #28





PSU 75-196J (1996) #29



PSU 75-196J (1996) #30



PSU 75-196J (1998) #31



PSU 75-198J (1996) #32



PSU 75-196J (1996) #33



PSU 75-196J (1996) #34



PSU 75-106J (1996) #35



PSU 75-196J (1998) #36





PSU 75-196J (1996) #37



PSU 75-196J (1996) #38



PSU 75-196J (1996) #39



PSU 75-196J (1996) #40



PSU 75-196J (1996) #41



PSU 75-198J (1996) #42



PSU 75-196J (1996) #43



PSU 75-196J (1996) #44





PSU 75-196J (1996) #45



PSU 75-196J (1996) #46



PSU 75-196J (1996) #47



PSU 75-196J (1996) #48



PSU 75-186J (1986) #49



PSU 75-196J (1996) #50



PSU 75-196J (1996) #51



PSU 75-196J (1996) #52





PSU 75-196J (1998) #53



**PSU 75-196J (1996) #54**



PSU 75-196J (1996) #55



PSU 75-196J (1996) #56



PSU 75-196J (1996) #57



PSU 75-196J (1996) #58



PSU 75-196J (1996) #59



PSU 75-196J (1996) #60